

PASSENGER CAR / MINI-VAN APPLICATIONS

ACURA			REAR			FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
Integra OEM Replacement Arms 64020,64025 - Pg. 59 OEM Replacement Ball Jt 67245 - Pg. 63	94-01	4Wheel	67030 69200 (except Type R) (Lower Arm)	OEMA 69250 69450	61 67,68 68	72160	72160 67135/40920 67330(8)/ 40920 84945, 84955/ 84885	61 62/ 92 64/ 92 74/ 90
Integra OEM Replacement Ball Jt 67245 - Pg. 63	90-93	4Wheel	67030 69200 (Lower Arm)	OEMA 69250 69450	61 67,68 68	N/A	67135/40920 67330(8)/ 40920 84945, 84955/ 84885	62/ 92 64/ 92 74/ 90
Integra	86-89	4Wheel	N/A	N/A		N/A	N/A	
Legend OEM Replacement Ball Jt 67245 - Pg. 63	91-96	4Wheel	N/A	OEMA		N/A	67135/40920 67330(8)/ 40920 84800/ 84840, 72509, 84885 84945, 84955/ 84885	62/ 92 64/ 92 74/ 93,92 90 74/ 90
Legend	86-90	4Wheel	N/A	OEMA		OEMA	N/A	
NSX	91-06	4Wheel	OEMA	OEMA		OEMA	OEMA	
RSX & RSX S-Type start VIN2C003184	02-07	4Wheel	67230 69400 (Lower Arm)	OEMA	63 67	N/A	81280	71
RSX S-Type end VIN2C003183	02-02	4Wheel	67230 69400 (Lower Arm)	OEMA	63 67	N/A	81260	71
TSX	04-08	4Wheel	67290	OEMA	64	N/A	67125/40920 67320(8)/ 40920	62/ 92 64/ 92
Vigor OEM Replacement Ball Jt 67075 - Pg. 61 (Rear)	92-94	4Wheel	67065 67265(8)	OEMA	61 63	84690, 84695	67165/40920 67360(8)/ 40920 84800/ 84840, 72509, 84885 84945, 84955/ 84885	74,62/ 92 64/ 92 74/ 93,92 90 74/ 90
2.2 CL OEM Replacement Ball Jt 67075 - Pg. 61 (Front & Rear)	96-97	4Wheel	67065 67265(8)	OEMA	61 63	84690, 84695	67125/40920 67320(8)/ 40920 84800/ 84840, 72509, 84885 84945, 84955/ 84885	74,62/ 92 64/ 92 74/ 93,92 90 74/ 90
2.3 CL OEM Replacement Ball Jt 67075 - Pg. 61 (Front & Rear)	98-99	4Wheel	67065 67265(8)	OEMA	61 63	84690, 84695	67125/40920 67320(8)/ 40920 84800/ 84840, 72509, 84885 84945, 84955/ 84885	74,62/ 92 64/ 92 74/ 93,92 90 74/ 90
2.5 TL OEM Replacement Ball Jt 67075 - Pg. 61 (Front & Rear)	96-98	4Wheel	67065 67265(8)	OEMA	61 63	84690, 84695	67125/40920 67320(8)/ 40920 84800/ 84840, 72509, 84885 84945, 84955/ 84885	74,62/ 92 64/ 92 74/ 93,92 90 74/ 90
3.0 CL OEM Replacement Ball Jt 67075 - Pg. 61 (Front & Rear)	96-99	4Wheel	67065 67265(8)	OEMA	61 63	84690, 84695	67125/40920 67320(8)/ 40920 84800/ 84840, 72509, 84885 84945, 84955/ 84885	74,62/ 92 64/ 92 74/ 93,92 90 74/ 90
3.2 CL OEM Replacement Ball Jt 67075 - Pg. 61 (Front)	01-04	4Wheel	67090	OEMA	62	N/A	67125/40920 67320(8)/ 40920	62/ 92 64/ 92
3.2 TL	04-08	4Wheel	67095	OEMA	62	N/A	67125/40920 67320(8)/ 40920	62/ 92 64/ 92
3.2 TL	99-03	4Wheel	67090	OEMA	62	84690, 84695	67125/40920 67320(8)/ 40920	62/ 92 64/ 92
3.2 TL OEM Replacement Ball Jt 67245 - Pg. 63 (Front)	96-98	4Wheel	67065 67265(8)	OEMA	61 63	84690, 84695	67135/40920 67330(8)/ 40920 84945, 84955/ 84885	62/ 92 64/ 92
3.5 RL OEM Replacement Ball Jt 67245 - Pg. 63 (Front)	96-08	4Wheel	67090	OEMA	62	N/A	67135/40920 67330(8)/ 40920 84945, 84955/ 84885	62/ 92 64/ 92 74/ 90

PASSENGER CAR / MINI-VAN ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

- (1) = CAUTION: Check for caliper to rotor clearance with disc brakes. Use spacer pak **75970** pp 42 as necessary to keep caliper centered on rotor • (2) = For RWD Vehicles ONLY
 (3) = **66010, 66020, 66080, 66085** You will need to measure outer bushing diameter on the most forward arm on the rear suspension • (4) = Check Bolt Length BEFORE Cutting Hole
 (5) = Shims, see pp 45 • (6) = LH Toe Tool for front toe adjustment, see pp 86 • (7) = Bolts (**73415** pp 43) are necessary for changes greater than 3/4°
 (8) = Recommended for vehicles lowered more than 1.5" • (9) = Will not work on 1988-89 models with welded-in ball joints • **4Wheel** = 4 Wheel Alignment • **Thrust** = 4 Wheel Thrust Alignment
 N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, check page for correct size • SW = Station Wagon • ©2008 SPC
All products available from Specialty Products Company are intended for use by professional installers only.

**PASSENGER CAR / MINI-VAN APPLICATIONS**

AMC			REAR			FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
Concord	80-83	Thrust	N/A	N/A		OEMA	OEMA	
Eagle 4WD	80-87	Thrust	N/A	N/A		OEMA	OEMA	
Spirit	80-83	Thrust	N/A	N/A		OEMA	OEMA	
AUDI								
A3	06-08	4Wheel	OEMA	OEMA		N/A	N/A	
A4 & A6 FWD	96-08	Thrust	N/A	N/A		N/A	OEMA	
A4, A6, A8 Allroad, S4, S6, S8 (IRS, All)	96-08	4Wheel	OEMA	OEMA		N/A	OEMA	
A5, S5	08-08	4Wheel	OEMA	OEMA		N/A	N/A	
Cabriolet	94-98	4Wheel	N/A	N/A		N/A	OEMA 81260	71
Fox	75-79	4Wheel	75200(1)+10408 71200*(1)+10408	75200(1)+10408 71200*(1)+10408	42,42 44,42	N/A	OEMA	
Quattro	82-86	4Wheel	OEMA	OEMA		N/A	OEMA	
RS4	07-08		OEMA	OEMA		N/A	N/A	
TT	07-08	4Wheel	OEMA	OEMA		N/A	N/A	
TT AWD-Quattro	00-06	4Wheel	N/A	OEMA		81340	81340	72,72
TT, FWD	00-06	Thrust	71530*/87530	71520*/87530	43/96	81340	81340	72,72
80, 90 Quattro	88-96	4Wheel	OEMA	OEMA		N/A	OEMA	
80, 90 2WD	88-93	Thrust	N/A	N/A		N/A	OEMA	
100, 200 2WD	87-96	Thrust	N/A	N/A		N/A	OEMA	
100, 200 Quattro	87-96	4Wheel	OEMA	OEMA		N/A	OEMA	
4000 2WD	80-87	4Wheel	75200(1)+10408 71200*(1)+10408	75200(1)+10408 71200*(1)+10408	42,42 44,42	N/A	OEMA	
4000 Quattro	80-87	4Wheel	OEMA	OEMA		N/A	OEMA	
5000 2WD	80-86	4Wheel	75400(1)+10408	75400(1)+10408	42,42	N/A	OEMA	
5000 Quattro	86-88	4Wheel	OEMA	OEMA		N/A	OEMA	
BMW								
Vehicles w/12mm bolt	63-88	Thrust	N/A	N/A		N/A	N/A	
Vehicles w/14mm bolt	63-88	Thrust	N/A	N/A		N/A	83115/73010(4)	73/88
3 Series (E90,E91)	06-08	4Wheel	OEMA	OEMA		N/A	N/A	
3 Series (E46) 323, 325, 328, 330, M3	99-05	4Wheel	OEMA 67110 72110	OEMA	62 69	72080	OEMA 72080	69 69
3 Series (E36) 318, 323, 325, 328, M3	92-99	4Wheel	OEMA 67110 72110	OEMA	62 69	72070	72070	69,69
3 Series (E30) 318Ti	92-99	4Wheel	N/A	N/A		72090	72090	69,69
3 Series (E30) Z3 & M Cpe/Rdstr	96-02	4Wheel	N/A	N/A		72090	72090	69,69
3 Series (E30)	84-91	Thrust	N/A	N/A		72065	72065	69,69
3 Series (E85) Z4	03-08	4Wheel	OEMA 67110 72110	OEMA	62 69	72090	OEMA 72090	69 69
5 Series (E60) M5	04-08	4Wheel	OEMA	OEMA		N/A	N/A	
5 Series (E39)	96-04	4Wheel	OEMA	OEMA		72180	72180	69,690
5 Series (E23, E34)	87-95	Thrust	N/A	N/A		N/A	N/A	
6 Series(E63,E64) M6	04-08	Thrust	N/A	N/A		N/A	N/A	
6 Series (E24)	80-89	Thrust	N/A	N/A		N/A	N/A	
7 Series (E65, E66) 745, B7	02-08	4Wheel	N/A	OEMA		N/A	OEMA	
7 Series (E38) 740, 750	95-01	4Wheel	OEMA	OEMA		N/A	N/A	
7 Series (E23, E32) 733, 735, 740, 750	87-94	Thrust	N/A	N/A		N/A	N/A	
8 Series(E31)	90-99	Thrust	N/A	N/A		N/A	N/A	
8 Series (E52) Z8 Rdstr.	00-04	4Wheel	OEMA	OEMA		N/A	N/A	
BUICK								
Century/W	97-05	4Wheel	81260	OEMA		N/A	81260	71
Century/A	82-96	4Wheel	75800(1)	75800(1)	42,42	N/A	82110/85125	72/91
Electra/C	85-96	4Wheel	81280 82120/85125	OEMA	71 72/91	OEMA	81280 82120/85125	71 72/91
Estate SW RWD/B	80-90	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	

PASSENGER CAR / MINI-VAN APPLICATIONS

BUICK - con't			REAR			FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
LaCrosse	05-08	4Wheel	81260	OEMA	71	N/A	81260	71
LeSabre/G	00-06	4Wheel	75800(1)	OEMA 75800(1)	42 42	OEMA	81280 82120/ 85125	71 72/ 91
LeSabre/H	86-99	4Wheel	81280 82120/ 85125	OEMA	71 72/ 91	OEMA	81280 82120/ 85125	71 72/ 91
Lucerne	06-08	4Wheel	75800(1)	OEMA 75800(1)	42 42	N/A	81280 82120/ 85125	71 72/ 91
Park Ave., Park Ave. Ultra/C	97-07	4Wheel	75800(1)	OEMA 75800(1)	42 42	OEMA	81280 82120/ 85125	71 72/ 91
Park Avenue/C	85-96	4Wheel	81280 82120/ 85125	OEMA	71 72/ 91	OEMA	81280 82120/ 85125	71 72/ 91
Reatta/Z	89-91	4Wheel	75800(1)	OEMA 75800(1)	42 42	OEMA	81280 82120/ 85125	71 72/ 91
Regal/W	97-04	4Wheel	81260	OEMA/ 83850	71/ 87	N/A	81260	71
Regal FWD/W	95-96	4Wheel	81280 82120/ 85125	OEMA/ 83850 85630	71/ 87 72/ 91 /75	N/A	88809, 85125	90,91
Regal FWD/W	88-94	4Wheel	81280 82120/ 85125	OEMA/ 83850 83500	72/ 91 /73	N/A	88809, 85125	90,91
Riviera/G	95-99	4Wheel	75800(1)	OEMA	42	OEMA	81280 82120/ 85125	71 72/ 91
Riviera/E	86-92	4Wheel	75800(1)	OEMA/ 83775 75800(1)	42/ 89 42	OEMA	OEMA 81280 82120/ 85125	71 72/ 91
Riviera/E	78-85	4Wheel	75800(1)	OEMA/ 83775 75800(1)	42/ 89 42	OEMA	OEMA	
Roadmaster RWD & SW	91-96	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
Skyhawk/J	82-89	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44	N/A	81280 82120/ 85125	71 72/ 91
Skylark/N	96-98	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44	N/A	81260	71
Skylark/N	86-95	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44	N/A	81280 82120/ 85125	71 72/ 91
Skylark/X	80-85	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44	N/A	82110/ 85125	72/ 91
Somerset/N	85-89	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44	N/A	81280 82120/ 85125	71 72/ 91
Terraza FWD	05-07	4Wheel	75800 (1)	75800 (1)	42,42	N/A	81260	71
Terraza AWD	05-07	4Wheel	OEMA	OEMA		N/A	81260	71

CADILLAC

Allante	93-93	4Wheel	OEMA	OEMA		OEMA/ 85125	81280 82120/ 85125	91 /71 72/ 91
Allante/V	87-92	4Wheel	N/A	OEMA		OEMA/ 85125	81280 82120/ 85125	91 /71 72/ 91
Brougham RWD/D	85-96	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
Catera/V	97-01	4Wheel	N/A	OEMA		N/A	81250	71
Cimarron/J	82-88	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44	N/A	81280 82120/ 85125	72/ 91
CTS/CTS-V	03-08	4Wheel	OEMA	OEMA		OEMA	OEMA	
Deville	00-05	4Wheel	75800 (1)	OEMA 75800 (1)	42 42	OEMA	81280 82120/ 85125	71 72/ 91
Deville & Concours (94)	94-99	4Wheel	OEMA	OEMA		OEMA	81280 82120/ 85125	71 72/ 91
Deville	85-93	4Wheel	OEMA 82120/ 85125	OEMA	72/ 91	OEMA/ 85125	OEMA 82120/ 85125	91 72/ 91
DTS	06-08	4Wheel	75800 (1)	OEMA 75800 (1)	42 42	OEMA	81280 82120/ 85125	71 72/ 91
Eldorado/E	93-03	4Wheel	OEMA	OEMA		OEMA/ 85125	81280 82120/ 85125	91 /71 72/ 91

PASSENGER CAR / MINI-VAN ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

- (1) = CAUTION: Check for caliper to rotor clearance with disc brakes. Use spacer pak **75970** pp 42 as necessary to keep caliper centered on rotor • (2) = For RWD Vehicles ONLY
 (3) = **66010, 66020, 66080, 66085** You will need to measure outer bushing diameter on the most forward arm on the rear suspension • (4) = Check Bolt Length BEFORE Cutting Hole
 (5) = Shims, see pp 45 • (6) = LH Toe Tool for front toe adjustment, see pp 86 • (7) = Bolts (**73415** pp 43) are necessary for changes greater than 3/4°
 (8) = Recommended for vehicles lowered more than 1.5" • (9) = Will not work on 1988-89 models with welded-in ball joints • 4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment
 N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, check page for correct size • SW = Station Wagon • ©2008 SPC
All products available from Specialty Products Company are intended for use by professional installers only.

**PASSENGER CAR / MINI-VAN APPLICATIONS****CADILLAC - con't**

Model/Body Style	Year	Alignment	REAR CAMBER/TOOL	TOE/TOOL	Page	FRONT CASTER/TOOL	CAMBER/TOOL	Page
Eldorado & Seville/E	86-92	4Wheel	75800(1)	OEMA/83775 75800(1)	42/89 42	OEMA	OEMA 81280 82120/85125	71 72/91
Eldorado & Seville/E	80-85	4Wheel	75800(1)	OEMA/83775 75800(1)	42/89 42	OEMA	OEMA	
Fleetwood FWD	85-93	4Wheel	OEMA	OEMA		OEMA/85125	OEMA 82120/85125	91 72/91
STS	05-08	4Wheel	OEMA	OEMA		OEMA	OEMA	
Seville STS/SLS	98-04	4Wheel	75800(1)	OEMA 75800(1)	42 42	OEMA	81280 82120/85125	71 72/91
Seville STS/SLS	93-97	4Wheel	OEMA	OEMA		N/A	81280 82120/85125	71 72/91
XLR	04-08	4Wheel	OEMA	OEMA		OEMA	OEMA	

CHEVROLET

Astro 2WD	85-06	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
Astro AWD	88-06	Thrust	N/A	N/A		OEMA/87145 87400/74910 83790/74910	OEMA/87145 87400/74910 83790/74910	84 57/84 54/84
Aveo	04-08	4Wheel	75200(1)	75200(1)	42,42	N/A	81250	71
Beretta/L	96-97	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81260	71
Beretta/L	87-95	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81280 82120/85125	71 72/91
Camaro/F	93-02	Thrust	N/A	N/A		OEMA/83775	OEMA/83775	89
Camaro/F	82-92	Thrust	N/A	N/A		OEMA	OEMA/8292 81280	89 71
Caprice & SW /B	80-96	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
Cavalier/J	95-05	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81260	71
Cavalier/J	82-94	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81280	71
Celebrity/A	82-90	4Wheel	75800(1)	75800(1)	42,42	N/A	82110/85125	72/91
Chevette/T	76-87	Thrust	N/A	N/A		OEMA	OEMA	
Citation/X	80-85	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	82110/85125	72/91
Cobalt	05-08	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81250	71
Corsica/L	96-96	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81260	71
Corsica/L	87-95	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81280	71
Corvette C5, C6	97-07	4Wheel	OEMA	OEMA		OEMA	OEMA	
Corvette C4	84-96	4Wheel	OEMA	OEMA		OEMA(5)	OEMA(5)	
Corvette/Y	63-82	4Wheel	OEMA 83160	OEMA 47170*	73,45	OEMA(5)	OEMA(5)	
Equinox FWD/AWD	05-08	4Wheel	OEMA	OEMA		N/A	81260	71
HHR	06-08	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81250	71
Impala	99-08	4Wheel	81260	OEMA	71	N/A	81260	71
Impala	95-96	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
Lumina APV Van	90-96	4Wheel	75800(1)	75800(1)	44,44	N/A	82110/85125	72/91
Lumina Sedan/W	97-01	4Wheel	81260	OEMA/83850 85630	71/87 75	N/A	88809, 85125	90,91
Lumina Sedan/W	95-96	4Wheel	81280 82120/85125	OEMA/83850	71/87 72/91	N/A	88809, 85125	90,91
Lumina Sedan/W	88-94	4Wheel	81280 82120/85125	OEMA/83850 83500	71/87 72/91	N/A	88809, 85125	90,91
Malibu/Z Malibu Maxx	04-08	4Wheel	OEMA	OEMA		N/A	81250	71
Malibu/N	97-03	4Wheel	81250	OEMA	71	N/A	81260	71
Metro/M	98-01	4Wheel	N/A	OEMA		N/A	81250	71
Monte Carlo	00-07	4Wheel	81260	OEMA	71	N/A	81260	71
Monte Carlo/W	95-99	4Wheel	81280 82120/85125	OEMA/83850 85630	71/87 72/91	N/A	88809, 85125	90,91
Monte Carlo/G	70-88	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	

PASSENGER CAR / MINI-VAN APPLICATIONS

CHEVROLET - con't			REAR			FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
Nova/S	85-88	4Wheel	81250	OEMA	71	N/A	OEMA 81250	71
Prizm/S	98-02	4Wheel	81250 75800(1)	OEMA 75800(1)	71 42,42	N/A	OEMA 81260	71
Safari 2WD (GMC)	85-04	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
Safari AWD (GMC)	88-04	Thrust	N/A	N/A		OEMA/87145 87400/74910 83790/74910	OEMA/87145 87400/74910 83790/74910	84 57/84 54/84
Spectrum/R	85-88	4Wheel	75200(1) 71100*(1)	75200(1) 71100*(1)	42,42 44,44	N/A	81250	71
Sprint/M	87-88	Thrust	N/A	N/A		N/A	OEMA 81250	71
Sprint/M	85-86	Thrust	N/A	N/A		N/A	81250	71
UplanderAWD	05-08	4Wheel	OEMA	OEMA		N/A	81260	71
Uplander FWD	05-08	4Wheel	75800(1)	75800(1)	42,42	N/A	81260	71
Venture	97-05	4Wheel	75800(1)	75800(1)	42,42	N/A	81260	71
Venture AWD	02-05	4Wheel	OEMA	OEMA		N/A	81260	71
CHRYSLER								
All Models	60-73	Thrust	N/A	N/A		OEMA 83160	OEMA 83160	73
300/C	06-08	4Wheel	66080, 66085/ 66025, 40920	OEMA	60,60 93,92	OEMA 66030,66035(2)	OEMA 66030, 66035(2)	60,60
300/C	05-05	4Wheel	66010, 66020(3)/ 66025, 40920 66080, 66085(3)/ 66025, 40920	OEMA	60,60 93,92 60,60 93,92	OEMA 66030,66035(2)	OEMA 66030, 66035(2)	60,60
300M/LH(6)	99-04	4Wheel	67080	OEMA	61	N/A	81280 82120/85125	71 72/91
Cirrus/JA	95-00	4Wheel	OEMA	OEMA		N/A	67180/40920 87470/87495, 72509	62/92 76/90,92
Concord/LH(6)	98-04	4Wheel	67080	OEMA	61	N/A	81280 82120/85125	71 72/91
Concord/LH(6)	93-97	4Wheel	67020	OEMA	60	N/A	81280 82120/85125	71 72/91
Crossfire	04-08	4Wheel	OEMA	OEMA		OEMA	OEMA	
E-Class/E & Exec. Sedan/E	83-87	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44	N/A	OEMA 83170	73
Fifth Ave./C	90-93	4Wheel	75200(1) 71100*(1)	75200(1) 71100*(1)	42,42 44,44	N/A	OEMA 83170	73
Imperial/C	90-94	4Wheel	75200(1) 71100*(1)	75200(1) 71100*(1)	42,42 44,44	N/A	OEMA 83170	73
Laser/G	84-86	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
LeBaron/JH	84-95	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
LeBaron/K	82-83	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
LHS/LH(6)	98-02	4Wheel	67080	OEMA	61	N/A	81280 82120/85125	71 72/91
LHS /LH(6)	94-97	4Wheel	67020	OEMA	60	N/A	81280 82120/85125	71 72/91
New Yorker RWD/LH(6)	94-97	4Wheel	67020	OEMA	60	N/A	81280 82120/85125	71 72/91
New Yorker FWD/C	88-93	4Wheel	75200(1) 71100*(1)	75200(1) 71100*(1)	42,42 44,44	N/A	OEMA 83170	73

PASSENGER CAR / MINI-VAN ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

- (1) = CAUTION: Check for caliper to rotor clearance with disc brakes. Use spacer pak 75970 pp 42 as necessary to keep caliper centered on rotor • (2) = For RWD Vehicles ONLY
 (3) = 66010, 66020, 66080, 66085 You will need to measure outer bushing diameter on the most forward arm on the rear suspension • (4) = Check Bolt Length BEFORE Cutting Hole
 (5) = Shims, see pp 45 • (6) = LH Toe Tool for front toe adjustment, see pp 86 • (7) = Bolts (73415 pp 43) are necessary for changes greater than 3/4°
 (8) = Recommended for vehicles lowered more than 1.5" • (9) = Will not work on 1988-89 models with welded-in ball joints • 4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment
 N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, check page for correct size • SW = Station Wagon • ©2008 SPC
All products available from Specialty Products Company are intended for use by professional installers only.



PASSENGER CAR / MINI-VAN APPLICATIONS

CHRYSLER - cont.

Model/Body Style	Year	Alignment	REAR CAMBER/TOOL	TOE/TOOL	Page	FRONT CASTER/TOOL	CAMBER/TOOL	Page
New York. & 5thAve.RWD/M	83-89	Thrust	N/A	N/A		OEMA	OEMA	
New Yorker FWD/E	83-87	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Pacifica AWD/FWD	04-08	4Wheel	N/A	OEMA		N/A	81260	71
PT Cruiser	01-08	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	81260	71
Sebring 2Dr. Coupe	01-06	4Wheel	73600 73620(8) 73400+73415(7)	OEMA	70 70 43,43	N/A	81280 82120/ 85125	71 72/ 91
Sebring Sedan & Conv.	07-08	4Wheel	N/A	OEMA		N/A	81260	71
Sebring Sedan & Conv.	04-06	4Wheel	67025	OEMA	60	N/A	67180/40920 87470/ 87495, 72509	62/ 92 76/ 90,92
Sebring Sedan & Conv.	01-03	4Wheel	OEMA	OEMA		N/A	67180/40920 87470/ 87495, 72509	62/ 92 76/ 90,92
Sebring/JL	95-00	4Wheel	73600 73620(8) 73400+73415(7)	OEMA	70 70 43,43	N/A	67170/40920 67370(8)/ 40920 87460/ 84885, 72509 87580, 87590/ 84885	62/ 92 64/ 92 76/ 90,92 77,77/ 90
Sebring Conv./JX	96-00	4Wheel	OEMA	OEMA		N/A	67180/40920 87470/ 87495, 72509	62/ 92 76/ 90,92
Town & Country	96-08	4Wheel	71730*	71720*	43,43	N/A	OEMA 81260 83170/ 85125	71 73/ 91
Town & Country AWD	97-07	Thrust	N/A	N/A		N/A	81260 83170/ 85125	71 73/ 91
Town & Country	90-95	4Wheel	75400(1) 71300*(1)	75400(1) 71300*(1)	42,42 44,44	N/A	OEMA 83170	73
Town & Country AWD w/ABS	90-04	Thrust	N/A	N/A		N/A	OEMA 83170	73
Town & Ctry. AWD w/o ABS	90-95	4Wheel	71730*	71720*	43,43	N/A	OEMA 83170	73
Town & Country/K	82-88	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Voyager	02-04	4Wheel	71730*	71720*	43,43	N/A	OEMA 81260 83170/ 85125	71 73/ 91
Voyager AWD	02-04	Thrust	N/A	N/A		N/A	81260 83170/ 85125	71 73/ 91

DAEWOO

Lanos	98-02	4Wheel	N/A	N/A		N/A	N/A	
Leganza	98-02	4Wheel	81250	OEMA	71	N/A	81250	71
Nubira	98-02	4Wheel	81250	OEMA	71	N/A	81250	71

DODGE

All Models	60-73	Thrust	N/A	N/A		OEMA 83160	OEMA 83160	73,73
400/K	83-84	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170(2)	73
600/E	83-88	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170(2)	73
Aries/K	81-89	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170(2)	73
Avenger	08-08	4Wheel	N/A	OEMA		N/A	81260	71
Avenger/JL	95-00	4Wheel	73600 73620(8) 73400+73415(7)	OEMA	70 70 43,43	72170	72170 67170/40920 67370(8)/ 40920 87460/ 84885, 72509 87580, 87590/ 40920	70,70 62/ 92 64/ 92 76/ 90,92 77,77/ 90
Caliber	07-08	4Wheel	N/A	OEMA		N/A	81260	71

PASSENGER CAR / MINI-VAN APPLICATIONS

DODGE - con't			REAR			FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
Caravan/ Grand Caravan	96-08	4Wheel	71730*	71720*	43,43	N/A	OEMA 81260 83170/ 85125	71 73/ 91
Caravan/ Grand Caravan AWD	97-04	Thrust	N/A	N/A		N/A	81260 83170/ 85125	71 73/ 91
Caravan	84-95	4Wheel	75400(1) 71300*(1)	75400(1) 71300*(1)	42,42 44,44		OEMA 83170	73
Caravan AWD w/ABS	90-95	Thrust	N/A	N/A		N/A	OEMA 83170	73
Caravan AWD w/o ABS w/o ABS	90-95	4Wheel	71730*	71720*	43,43	N/A	OEMA 83170	73
Challenger	80-83	Thrust	N/A	N/A		OEMA	N/A	
Charger/C	06-08	4Wheel	66080, 66085/ 66025, 40920	OEMA	60,60 93,92	OEMA 66030,66035(2)	OEMA 66030, 66035(2)	60,60
Charger/L	82-87	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Colt FWD/B2	93-94	4Wheel	OEMA	OEMA		N/A	81250	71
Colt FWD	80-93	Thrust	N/A	N/A		N/A	81250	71
Colt RWD	80-87	Thrust	N/A	N/A		OEMA	81250	71
Colt Vista 2WD/B3	92-94	4Wheel	N/A	OEMA		N/A	OEMA	
Colt Vista 2WD/B3	84-91	4Wheel	N/A	OEMA		OEMA	81250	71
Colt Vista 4WD/B3	84-94	4Wheel	N/A	OEMA		N/A	81250	71
Conquest/B5	84-86	4Wheel	N/A	OEMA		OEMA	N/A	
Daytona/G	84-94	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Dynasty/C	88-94	4Wheel	75200(1) 71100*(1)	75200(1) 71100*(1)	42,42 44,44	N/A	OEMA 83170	73
Intrepid/LH(6)	98-04	4Wheel	67080	OEMA	61	N/A	81280 82120/ 85125	71 72/ 91
Intrepid/LH(6)	93-97	4Wheel	67020	OEMA	60	N/A	81280 82120/ 85125	71 72/ 91
Lancer/H	85-89	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Magnum	06-08	4Wheel	66080, 66085/ 66025, 40920	OEMA	60,60 93,92	OEMA 66030,66035(2)	OEMA 66030, 66035(2)	60,60
Magnum	05-05	4Wheel	66010, 66020(3)/ 66025, 40920 66080, 66085(3)/ 66025, 40920	OEMA	60,60 93,92 60,60 93,92	OEMA 66030,66035(2)	OEMA 66030, 66035(2)	60,60
Monaco/X58	90-92	4Wheel	75200(1) 71100*(1)	75200(1) 71100*(1)	42,42 44,44	N/A	81280 82120/ 85125	71 72/ 91
Neon, R/T, SRT	94-06	4Wheel	81250 67210	OEMA 67210	71 63,63	N/A	81260	71
024 /L	80-82	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Omni/L	80-90	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Ram Van	84-95	4Wheel	75400(1) 71300*(1)	75400(1) 71300*(1)	42,42 44,44	N/A	OEMA 83170	73
Rampage/Z	82-84	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Shadow/P	87-94	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73

PASSENGER CAR / MINI-VAN ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

- (1) = CAUTION: Check for caliper to rotor clearance with disc brakes. Use spacer pak **75970** pp 42 as necessary to keep caliper centered on rotor • (2) = For RWD Vehicles ONLY
 (3) = **66010, 66020, 66080, 66085** You will need to measure outer bushing diameter on the most forward arm on the rear suspension • (4) = Check Bolt Length BEFORE Cutting Hole
 (5) = Shims, see pp 45 • (6) = LH Toe Tool for front toe adjustment, see pp 86 • (7) = Bolts (**73415** pp 43) are necessary for changes greater than 3/4°
 (8) = Recommended for vehicles lowered more than 1.5" • (9) = Will not work on 1988-89 models with welded-in ball joints • 4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment
 N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, check page for correct size • SW = Station Wagon • ©2008 SPC
All products available from Specialty Products Company are intended for use by professional installers only.

**PASSENGER CAR / MINI-VAN APPLICATIONS****DODGE - con't**

Model/Body Style	Year	Alignment	REAR CAMBER/TOOL	TOE/TOOL	Page	FRONT CASTER/TOOL	CAMBER/TOOL	Page
Spirit/A	89-96	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Stratus 2Dr.	01-06	4Wheel	73600 73620(8) 73400+73415(7)	OEMA	70 70 43,43	N/A	81280 82120/ 85125	71 72/ 91
Stratus 4Dr.	04-06	4Wheel	67025	OEMA	60	N/A	67180/40920 87470/ 87495, 72509	62/ 92 76/ 90,92
Stratus 4Dr.	95-03	4Wheel	OEMA	OEMA		N/A	67180/40920 87470/ 87495, 72509	62/ 92 76/ 90,92
Stealth	91-96	4Wheel	OEMA	OEMA		N/A	OEMA	
Viper	94-06	4Wheel	OEMA	OEMA		OEMA	OEMA	

EAGLE

Medallion	88-89	4Wheel	75200(1) 71100*(1)	75200(1) 71100*(1)	42,42 44,44	N/A	81280 82120/ 85125	71 72/ 91
Premier/X58	88-92	4Wheel	75200(1) 71100*(1)	75200(1) 71100*(1)	42,42 44,44	N/A	81280 82120/ 85125	71 72/ 91
Summit	89-96	Thrust	N/A	N/A		N/A	81250	71
Summit SW	92-96	4Wheel	N/A	OEMA		N/A	81250	71
Talon FWD, 4WD	95-99	4Wheel	73600 73620(8) 73400+73415(7)	OEMA	70 70 43,43	72170	72170 67170/40920 67370(8)/ 40920 87460/ 84885, 72509 87580, 87590/ 84885	70,70 62/ 92 64/ 92 76/ 90,92 77,77/ 90
Talon	90-94	Thrust	N/A	N/A		N/A	81250	71
Talon AWD	90-94	4Wheel	OEMA	OEMA		N/A	81250	71
Vision/LH(6)	93-97	4Wheel	67020	OEMA	60	N/A	81280	71

FORD

Aerostar 2WD, AWD	85-97	Thrust	N/A	N/A		OEMA(5) /87130	OEMA(5)/ 87130	89 89
Aspire	95-97	4Wheel	75200(1) 71100*(1)	75200(1) 71100*(1)	42,42 44,44	N/A	OEMA 81250	71
Contour	95-00	4Wheel	N/A	OEMA		89675	89675	77,77
Crown Victoria	03-08	Thrust	N/A	N/A		OEMA	OEMA	
Crown Vic. & SW	92-02	Thrust	N/A	N/A		OEMA	OEMA/ 88325	90
Crown Vic. & SW	80-91	Thrust	N/A	N/A		OEMA	OEMA/ 8001	90
Escort/ZX2	95-04	4Wheel	81250	OEMA	71	OEMA	OEMA 81250	71
Escort	91-94	4Wheel	81250	OEMA 67070	71	OEMA	OEMA 81250	71
Escort	81-90	4Wheel	81250	OEMA	71	N/A	N/A	
EXP	82-88	4Wheel	81250	OEMA	71	N/A	N/A	
Fairlane	66-70	Thrust	N/A	N/A		OEMA	OEMA 83160	73
Fairmont	78-83	Thrust	N/A	N/A		N/A	OEMA 81280 82120/ 85125	71 72/ 91
Falcon	66-70	Thrust	N/A	N/A		OEMA	OEMA 83160	73
Festiva	88-94	4Wheel	75200(1) 71100*(1)	75200(1) 71100*(1)	42,42 44,44	N/A	OEMA 81250	71
Fiesta	78-80	Thrust	N/A	N/A		N/A	81250	71
Five Hundred FWD/AWD	05-07	4Wheel	N/A	OEMA		N/A	OEMA	
Focus/SVT	00-08	4Wheel	81310 67420	OEMA	72 65	81320	81320	72,72
Freestar	04-08	Thrust	N/A	N/A		OEMA	OEMA/ 85790 89685	91 77
Freestyle FWD/AWD	05-07	4Wheel	N/A	OEMA		N/A	OEMA	
Fusion FWD/AWD	06-08	4Wheel	OEMA	OEMA		N/A	67115/ 40920	62/ 92
Granada	81-82	Thrust	N/A	N/A		N/A	OEMA 81280 82120/ 85125	71 72/ 91
Granada	75-80	Thrust	N/A	N/A		OEMA	OEMA 83160	73

PASSENGER CAR / MINI-VAN APPLICATIONS

FORD - con't			REAR			FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
LTD	83-86	Thrust	N/A	N/A		N/A	OEMA 81280 82120/ 85125	71 72/ 91
Maverick	69-77	Thrust	N/A	N/A		OEMA	OEMA 83160	73
Mustang	05-08	Thrust	N/A	N/A		72040	81260 72040	68,71 68
Mustang Cobra	99-04	4Wheel	OEMA	OEMA		OEMA/ 85125 72060	OEMA 72060 81280 82120/ 85125	91 69,69 71 72/ 91
Mustang	94-04	Thrust	N/A	N/A		72060	OEMA 72060 81280 82120/ 85125	69 69 71 72/ 91
Mustang	79-93	Thrust	N/A	N/A		N/A	OEMA 81280 82120/ 85125	71 72/ 91
Mustang	75-78	Thrust	N/A	N/A		OEMA	OEMA	
Probe	89-97	4Wheel	81250	OEMA	71	OEMA	OEMA 81250	71
Taurus FWD/AWD	08-08	4Wheel	N/A	OEMA		N/A	OEMA	
Taurus Sedan	96-06	4Wheel	87330/ 8370	OEMA/ 87325 87330/ 8370	75/ 88,87 75/ 88	OEMA/ 85790	OEMA/ 85790 89635	91,91 77
Taurus Sedan	86-95	4Wheel	87330/ 8370	OEMA/ 87325 87330/ 8370	75/ 88,87 75/ 88	OEMA/ 85790	OEMA/ 85790	91,91
Taurus Wagon	96-05	4Wheel	87350/ 85125	OEMA/ 97650	76/ 91,86	OEMA/ 85790	OEMA/ 85790 89635	91,91 77
Taurus Wagon	86-95	4Wheel	87350/ 85125	OEMA/ 90650 87340/ 87495	76/ 91,86 76/ 90	OEMA/ 85790	OEMA/ 85790	91,91
Taurus X FWD/AWD	08-08	4Wheel	N/A	OEMA		N/A	OEMA	
Tempo, 2WD & 4WD	86-94	4Wheel	81250	OEMA	71	N/A	N/A	
Tempo	84-85	4Wheel	81250	N/A	71	N/A	N/A	
Thunderbird	02-06	4Wheel	N/A	OEMA		OEMA 87540	OEMA 87540	77
Thunderbird	89-97	4Wheel	OEMA	OEMA		OEMA	OEMA	
Thunderbird	80-88	Thrust	N/A	N/A		N/A	OEMA 81280 82120/ 85125	71 72/ 91
Torino	66-71	Thrust	N/A	N/A		OEMA	OEMA 83160	73
Windstar	94-03	4Wheel	75400(1)	75400(1)	42,42	OEMA	OEMA/ 85790 89685	91 77
GEO								
Metro/M	89-97	4Wheel	N/A	OEMA		N/A	81250	71
Prizm/S	89-97	4Wheel	81250 75800(1)	OEMA 75800(1)	71 42,42	N/A	OEMA 81260	71
Spectrum/R	89-90	4Wheel	75200(1) 71100*(1)	75200(1) 71100*(1)	42,42 44,44	N/A	81250	71
Storm	90-93	4Wheel	81250	OEMA	71	N/A	81250	71
HONDA								
Accord	08-08	4Wheel	N/A	OEMA		N/A	N/A	
Accord	03-07	4Wheel	67290	OEMA	64	N/A	67135/40920 67330(8)/ 40920	62/ 92 64/ 92
Accord OEM Replacement Ball Jt 67075 - Pg. 61	98-02	4Wheel	67090	OEMA	62	84690, 84695	67125/40920 67320(8)/ 40920	74,62/ 92 64/ 92

PASSENGER CAR / MINI-VAN ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

- (1) = CAUTION: Check for caliper to rotor clearance with disc brakes. Use spacer pak **75970** pp 42 as necessary to keep caliper centered on rotor • (2) = For RWD Vehicles ONLY
 (3) = **66010, 66020, 66080, 66085** You will need to measure outer bushing diameter on the most forward arm on the rear suspension • (4) = Check Bolt Length BEFORE Cutting Hole
 (5) = Shims, see pp 45 • (6) = LH Toe Tool for front toe adjustment, see pp 86 • (7) = Bolts (**73415** pp 43) are necessary for changes greater than 3/4°
 (8) = Recommended for vehicles lowered more than 1.5" • (9) = Will not work on 1988-89 models with welded-in ball joints • 4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment
 N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, check page for correct size • SW = Station Wagon • ©2008 SPC
All products available from Specialty Products Company are intended for use by professional installers only.

**PASSENGER CAR / MINI-VAN APPLICATIONS**

HONDA - con't			REAR			FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
Accord OEM Repl. Arms 94-97 64040,64045 - Pg. 59 OEM Repl. Arms 90-93 64030,64035 - Pg. 59 OEM Replacement Ball Jt 67075 - Pg. 61	90-97	4Wheel	67065 67265(8)	OEMA	61 63	84690, 84695	67145/40920 67340(8)/ 40920 84800/ 84840,72509, 84885 84945, 84955/ 84885	74,62/ 92 64/ 92 74/ 93,92 90 74,74/ 90
Accord	86-89	4Wheel	67395	OEMA	64	OEMA	84600, 84650	74,74
Accord	80-85	4Wheel	N/A	OEMA		N/A	N/A	
Civic/Civic Hybrid	06-08	4Wheel	67470 67465/75980,72509	OEMA	65 65/ 93,92	N/A	81260	71
Civic	03-05	4Wheel	67230 69300 (Lower Arm)	OEMA	63 67	N/A	81280	71
Civic	01-02	4Wheel	67230 69300 (Lower Arm)	OEMA	63 67	N/A	81260	71
Civic OEM Replacement Ball Jt 67245 - Pg. 63	96-00	4Wheel	67030 69100 (Lower Arm)	OEMA 69250 69450	61 67,68 68	72150 62010	72150 62010 67135/40920 67330(8)/ 40920	70,70 59,59 62/ 92 64/ 92
Civic OEM Replacement Arms 64020,64025 - Pg. 59 OEM Replacement Ball Jt 67245 - Pg. 63	92-95	4Wheel	67030 69200 (Lower Arm)	OEMA 69250 69450	61 67,68 68	72160	72160 67135/40920 67330(8)/ 40920 84945, 84955/ 84885	70,70 62/ 92 64/ 92 74,74/ 90
Civic OEM Replacement Arms 64010,64015 - Pg. 59 OEM Replacement Ball Jt 67075 - Pg. 61	88-91	4Wheel	67030 69200 (Lower Arm)	OEMA 69250 69460	61 67,68 68	N/A	67125/40920(9) 67320(8)/ 40920(9) 84945, 84955/ 84885	62/ 92 64/ 92 74,74/ 90
Civic	80-87	4Wheel	N/A	N/A		N/A	N/A	
Civic SW & 4WD	88-91	4Wheel	67030 69200 (Lower Arm)	OEMA	61 67	N/A	67125/40920(9) 67320(8)/ 40920(9) 84945, 84955/ 84885	62/ 92 64/ 92 74,74/ 90
CRX OEM Replacement Ball Jt 67245- Pg. 63	88-92	4Wheel	67030 69200 (Lower Arm)	OEMA 69250 69460	61 67,68 68	N/A	67125/40920(9) 67320(8)/ 40920(9) 84945, 84955/ 84885	62/ 92 64/ 92 74,74/ 90
CRX	84-86	4Wheel	N/A	N/A		N/A	N/A	
Del Sol OEM Replacement Ball Jt 67245- Pg. 63	95-97	4Wheel	67030 69200 (Lower Arm)	OEMA 69250 69450	61 67,68 68	N/A	67135/40920 67330(8)/ 40920	62/ 92 64/ 92
Del Sol OEM Replacement Ball Jt 67245- Pg. 63	92-94	4Wheel	67030 69200 (Lower Arm)	OEMA 69250 69450	61 67,68 68	N/A	67135/40920 67330(8)/ 40920 84945, 84955/ 84885	62/ 92 64/ 92 74,74/ 90
Fit	07-08	4Wheel	75800(1)	75800(1)	42,42	N/A	81260	71
Insight	01-06	4Wheel	N/A	N/A		N/A	81260	71
Odyssey	05-08	4Wheel	67590	OEMA	66	N/A	81280	71
Odyssey	99-04	4Wheel	67290	OEMA	64	N/A	81280	71
Odyssey OEM Replacement Ball Jt 67245- Pg. 63	95-98	4Wheel	67155/ 40920	OEMA	62/ 92	OEMA 84690, 84695	67125/40920 67320(8)/ 40920 84800/ 84840,72509, 84885 84945, 84955/ 84885	62/ 92 74,64/ 92 74/ 93,92 90 74,74/ 90
Prelude OEM Replacement Ball Jt 67245- Pg. 63	97-02	4Wheel	67165/40920 67360(8)/ 40920 84800/ 84840, 72509,84885 84945, 84955/ 84885	OEMA	62/ 92 64/ 92 74/ 93 92,90 74,74/ 90	N/A	67135/40920 67330(8)/ 40920	62/ 92 64/ 92
Prelude SH OEM Replacement Ball Jt 67245- Pg. 63	97-02	4Wheel	67165/40920 67360(8)/ 40920 84800/ 84840, 72509,84885 84945, 84955/ 84885	OEMA	62/ 92 64/ 92 74/ 93 92,90 74,74/ 90	N/A	67155/40920 67350(8)/ 40920	62/ 92 64/ 92
Prelude OEM Replacement Ball Jt 67245- Pg. 63	92-96	4Wheel	67165/40920 67360(8)/ 40920 84800/ 84840, 72509,84885 84945, 84955/ 84885	OEMA	62/ 92 64/ 92 74/ 93 92,90 74,74/ 90	N/A	67165/40920 67360(8)/ 40920 84800/ 84840,72509, 84885 84945, 84955/ 84885	62/ 92 64/ 92 74/ 93,92 90 74,74/ 90
Prelude	83-91	4Wheel	N/A	OEMA		OEMA	OEMA	
Prelude	79-82	4Wheel	N/A	N/A		OEMA	N/A	

PASSENGER CAR / MINI-VAN APPLICATIONS

HONDA - con't			REAR			FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
Prelude 4WS	92-94	4Wheel	OEMA	OEMA		OEMA	67165/40920 67360(8)/ 40920 84800/ 84840, 72509, 84885 84945, 84955/ 84885	62/ 92 64/ 92 74/ 93, 92 90 74,74/ 90
Prelude 4WS	88-91	4Wheel	OEMA	OEMA		OEMA	OEMA	
S2000	00-08	4Wheel	OEMA 67220/ 40920	OEMA	63/ 92	OEMA	OEMA 67220/ 40920	63/ 92
HYUNDAI								
Accent	06-08	4Wheel	N/A	N/A		N/A	81250	71
Accent	95-05	4Wheel	81250	OEMA	71	N/A	81250	71
Azera	06-08	4Wheel	OEMA	OEMA		N/A	67190/ 40920	62/ 92
Elantra	07-08	4Wheel	N/A	OEMA		N/A	81260	71
Elantra	97-06	4Wheel	81250	OEMA	71	N/A	81250	71
Elantra	92-96	Thrust	N/A	N/A		N/A	81250	71
Entourage	07-08	4Wheel	N/A	N/A		N/A	81250	71
Excel	90-94	Thrust	N/A	N/A		N/A	81250	71
Excel	86-89	Thrust	N/A	N/A		OEMA	81250	71
Pony	83-87	Thrust	N/A	N/A		OEMA	N/A	
Scoupe	91-96	Thrust	N/A	N/A		N/A	81250	71
Sonata	99-08	4Wheel	N/A	OEMA		N/A	67190/ 40920	62/ 92
Sonata	95-98	4Wheel	N/A	OEMA		N/A	81260	71
Sonata	89-94	Thrust	N/A	N/A		N/A	81260	71
Stellar	84-88	Thrust	N/A	N/A		OEMA	N/A	
Tiburon	03-08	4Wheel	81250	OEMA	71	N/A	81260	71
Tiburon	97-02	4Wheel	81250	OEMA	71	OEMA	81250	71
XG300-XG350	01-06	4Wheel	N/A	OEMA		N/A	67190/ 40920	62/ 92
INFINITI								
G20	97-02	4Wheel	N/A	N/A		N/A	N/A	
G20	91-96	4Wheel	81250	OEMA		N/A	N/A	
G35 Coupe	07-07	4Wheel	OEMA 72050 72055	OEMA 72050 72055	68,68 68,68	72125	72125	70,70
G35 Sedan	07-08	4Wheel	OEMA 72260 72265	OEMA 72260 72265	68,68 68,68	N/A	N/A	
G35	03-06	4Wheel	OEMA 72050 72055	OEMA 72050 72055	68,68 68,68	72125	72125	70,70
J30	92-97	4Wheel	N/A	OEMA		N/A	N/A	
I35	02-05	4Wheel	N/A	OEMA		N/A	81260	71
I30	00-01	4Wheel	N/A	OEMA		N/A	81260	71
I30	95-99	4Wheel	N/A	OEMA		N/A	81260	71
M/35M45	03-08	4Wheel	OEMA	OEMA		N/A	N/A	
M30	90-92	4Wheel	N/A	OEMA		N/A	N/A	
Q45	90-07	4Wheel	OEMA	OEMA		N/A	N/A	
ISUZU								
I-Mark FWD	85-89	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	81250	71
Impulse	90-94	4Wheel	81250	OEMA	71	N/A	81250	71
Impulse	83-89	Thrust	N/A	N/A		OEMA	OEMA	

PASSENGER CAR / MINI-VAN ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

(1) = CAUTION: Check for caliper to rotor clearance with disc brakes. Use spacer pak **75970** pp 42 as necessary to keep caliper centered on rotor • (2) = For RWD Vehicles ONLY
 (3) = **66010, 66020, 66080, 66085** You will need to measure outer bushing diameter on the most forward arm on the rear suspension • (4) = Check Bolt Length BEFORE Cutting Hole
 (5) = Shims, see pp 45 • (6) = LH Toe Tool for front toe adjustment, see pp 86 • (7) = Bolts (**73415** pp 43) are necessary for changes greater than 3/4°
 (8) = Recommended for vehicles lowered more than 1.5" • (9) = Will not work on 1988-89 models with welded-in ball joints • 4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment
 N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, check page for correct size • SW = Station Wagon • ©2008 SPC
All products available from Specialty Products Company are intended for use by professional installers only.



PASSENGER CAR / MINI-VAN APPLICATIONS

ISUZU - cont.

Model/Body Style	Year	Alignment	REAR CAMBER/TOOL	TOE/TOOL	Page	FRONT CASTER/TOOL	CAMBER/TOOL	Page
Oasis	96-99	4Wheel	67155/ 40920	OEMA	62/ 92	OEMA 84690, 84695	67145/40920 67340(8)/ 40920 84800/ 84840, 72509, 84885 84945, 84955/ 84885	62/ 92 74, 64/ 92 74/ 93, 92 90 74, 74/ 90
Stylus	91-94	4Wheel	81250	OEMA	71	OEMA	81250	71

JAGUAR

S Type	00-08	4Wheel	N/A	OEMA		OEMA	OEMA	
X-Type	02-08	4Wheel	N/A	OEMA		N/A	N/A	
XK8, XKR	02-08	4Wheel	N/A	OEMA		N/A	N/A	
XJR, XJB	97-08	4Wheel	N/A	OEMA		N/A	N/A	

KIA

Amanti	04-08	4Wheel	N/A	OEMA		N/A	67190/ 40920	62/ 92
Optima	07-08	4Wheel	N/A	OEMA		N/A	81260	71
Optima	01-06	4Wheel	N/A	OEMA		N/A	67190/ 40920	62/ 92
Rio/Rio Cinco	01-08	4Wheel	75800(1)	75800(1)	42, 42	N/A	81250	71
Rondo	07-08	4Wheel	N/A	OEMA		N/A	81260	71
Sedona	02-08	4Wheel	N/A	N/A		N/A	81260	71
Sephia	94-02	4Wheel	81250	OEMA	71	N/A	OEMA 81250	71
Spectra	01-08	4Wheel	81250	OEMA	71	N/A	81250	71

LEXUS

ES250	90-91	4Wheel	81270	OEMA	71	85690, 85695	81290 82120/ 85125	74, 74, 71 72/ 91
ES300/ES330/ ES350(97)	92-08	4Wheel	81270	OEMA	71	N/A	81290 82120/ 85125	71 72/ 91
GS300	93-97	4Wheel	OEMA	OEMA		OEMA	OEMA	
GS300/400/430	98-05	4Wheel	OEMA 67510/ 85125	OEMA	65/ 91	N/A	OEMA	
GS300/350/430/ 450h/460	06-08	4Wheel	OEMA	OEMA		N/A	OEMA	
IS250/300/350	06-08	4Wheel	OEMA	OEMA		N/A	OEMA	
IS200/300	01-05	4Wheel	OEMA 67515/ 85125	OEMA	65/ 91	N/A	OEMA 67525/ 40920	62/ 92
LS400/430	90-08	4Wheel	OEMA	OEMA		OEMA	OEMA	
SC300	92-01	4Wheel	OEMA	OEMA		OEMA	OEMA	
SC400/430	92-08	4Wheel	OEMA	OEMA		OEMA	OEMA	

LINCOLN

Continental FWD	95-02	4Wheel	OEMA	OEMA		OEMA	OEMA/ 85790	91
Continental FWD	88-94	4Wheel	N/A	OEMA		OEMA	OEMA/ 85790	91
Continental	82-87	Thrust	N/A	N/A		N/A	OEMA 81280 82120/ 85125	71 72/ 91
LS	00-06	4Wheel	N/A	OEMA		OEMA 87545	OEMA 87545	77, 77
Mark VII	84-92	Thrust	N/A	N/A		N/A	OEMA 81280 82120/ 85125	71 72/ 91
Mark VIII RWD	93-98	4Wheel	OEMA	OEMA		OEMA	OEMA	
MKZ FWD/AWD	07-08	4Wheel	OEMA	OEMA		N/A	67115/ 40920	62/ 92
Town Car	91-08	Thrust	N/A	N/A		OEMA	OEMA/ 88325	90
Town Car	80-90	Thrust	N/A	N/A		OEMA	OEMA/ 8001	90
Zephyr	06-06	4Wheel	OEMA	OEMA		N/A	67115/ 40920	62/ 92

MAZDA

323	86-94	4Wheel	81250	OEMA	71	N/A	OEMA 81250	71
626	83-02	4Wheel	81250	OEMA	71	OEMA	OEMA 81250	71
626	79-82	Thrust	N/A	N/A		N/A	N/A	
626 4WS	88-92	4Wheel	81250	OEMA	71	OEMA	OEMA 81250	71

PASSENGER CAR / MINI-VAN APPLICATIONS

MAZADA - con't			REAR			FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
GLC FWD	82-85	4Wheel	81250	OEMA	71	N/A	OEMA 81250	71
GLC	77-83	Thrust	N/A	N/A		N/A	N/A	
929	92-95	4Wheel	OEMA	OEMA		N/A	OEMA	
929	88-91	4Wheel	N/A	OEMA		OEMA	OEMA 81250	71
Mazda3	04-08	4Wheel	67420	OEMA	65	N/A	N/A	
Mazda5	06-08	4Wheel	67420	OEMA	65	N/A	N/A	
Mazda6	03-08	4Wheel	OEMA	OEMA		N/A	67115/40920	62/92
Miata MX-5	90-08	4Wheel	OEMA	OEMA		OEMA	OEMA	
Millenia	95-02	4Wheel	OEMA	OEMA		N/A	OEMA	
MPV 2WD, AWD	89-07	Thrust	N/A	N/A		OEMA	OEMA 81250	71
MX3	92-95	4Wheel	81250	OEMA	71	N/A	OEMA 81250	71
MX-6	88-97	4Wheel	81250	OEMA	71	OEMA	OEMA 81250	71
MX-6 4WS	88-92	4Wheel	81250	OEMA	71	OEMA	OEMA 81250	71
Protégé/ Protégé 5	90-04	4Wheel	81250	OEMA	71	OEMA	OEMA 81250	71
RX7	93-96	4Wheel	OEMA	OEMA		OEMA	OEMA	
RX7	86-92	4Wheel	N/A	OEMA		OEMA	OEMA 81250	71
RX7	80-85	Thrust	N/A	N/A		OEMA	OEMA	
RX8	04-08	4Wheel	OEMA	OEMA		OEMA	OEMA	

MERCEDES

C-Class-C220, C230, C280	94-08	4Wheel	N/A	OEMA		N/A	N/A	
CL-500 Coupe	00-08	4Wheel	N/A	OEMA		OEMA	OEMA	
CLK Series-320, 430, Cabrio	94-08	4Wheel	N/A	OEMA		OEMA	OEMA	
CLS	06-08	4Wheel	N/A	OEMA		OEMA	OEMA	
E-Class-320, 300, 430, 420	96-08	Thrust	N/A	N/A		N/A	N/A	
R-Class	06-08	4Wheel	OEMA	OEMA		N/A	OEMA	
S-Class-S430, S500	99-08	4Wheel	N/A	OEMA		N/A	N/A	
SL-Class-SL-500, SL-600	93-08	4Wheel	N/A	OEMA		OEMA	OEMA	
SLK-230	98-08	4Wheel	N/A	OEMA		OEMA	OEMA	

MERCURY

Capri	91-94	4Wheel	81250	OEMA	71	OEMA	OEMA 81250	71
Capri	79-86	Thrust	N/A	N/A		N/A	OEMA 81280 82120/85125	71 72/91
Comet	69-77	Thrust	N/A	N/A		OEMA	OEMA 83160	73
Cougar FWD	99-02	4Wheel	N/A	OEMA		89675	89675	77,77
Cougar	89-97	4Wheel	OEMA	OEMA		OEMA	OEMA	
Cougar	80-88	Thrust	N/A	N/A		N/A	OEMA 81280 82120/85125	71 72/91
Cougar	67-79	Thrust	N/A	N/A		OEMA	OEMA 83160	73
Grand Marquis & SW	03-08	Thrust	N/A	N/A		OEMA	OEMA	
Grand Marquis & SW	91-02	Thrust	N/A	N/A		OEMA	OEMA/88325	90

PASSENGER CAR / MINI-VAN ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

- (1) = CAUTION: Check for caliper to rotor clearance with disc brakes. Use spacer pak 75970 pp 42 as necessary to keep caliper centered on rotor • (2) = For RWD Vehicles ONLY
 (3) = 66010, 66020, 66080, 66085 You will need to measure outer bushing diameter on the most forward arm on the rear suspension • (4) = Check Bolt Length BEFORE Cutting Hole
 (5) = Shims, see pp 45 • (6) = LH Toe Tool for front toe adjustment, see pp 86 • (7) = Bolts (73415 pp 43) are necessary for changes greater than 3/4°
 (8) = Recommended for vehicles lowered more than 1.5" • (9) = Will not work on 1988-89 models with welded-in ball joints • 4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment
 N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, check page for correct size • SW = Station Wagon • ©2008 SPC
All products available from Specialty Products Company are intended for use by professional installers only.



PASSENGER CAR / MINI-VAN APPLICATIONS

MERCURY - con't			R E A R			F R O N T		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
Grand Marquis & SW	83-90	Thrust	N/A	N/A		OEMA	OEMA/8001	90
LN-7	82-85	4Wheel	81250	OEMA	71	N/A	N/A	
Lynx	86-87	4Wheel	81250	OEMA	71	N/A	N/A	
Lynx	81-85	4Wheel	81250	OEMA	71	N/A	N/A	
Marauder	03-04	Thrust	N/A	N/A		OEMA	OEMA	
Marquis	83-86	Thrust	N/A	N/A		N/A	OEMA 81280 82120/85125	71 72/91
Milan FWD/AWD	06-08	4Wheel	OEMA	OEMA		N/A	67115/40920	62/92
Monarch	75-80	Thrust	N/A	N/A		OEMA	OEMA 83160	73
Montego	66-71	Thrust	N/A	N/A		OEMA	OEMA 83160	73
Montego FWD/AWD	05-07	4Wheel	N/A	OEMA		N/A	OEMA	
Monterey	04-07	Thrust	N/A	N/A		OEMA	OEMA/85790 89685	91 77
Mystique	95-00	4Wheel	N/A	OEMA		89675	89675	77,77
Sable	08-08	4Wheel	N/A	OEMA		N/A	OEMA	
Sable Sedan	96-06	4Wheel	87330/8370	OEMA/87325 87330/8370	75/88,87 75/88	OEMA/85790	OEMA/85790 89635	91,91 77
Sable Sedan	86-95	4Wheel	87330/8370	OEMA/87325 87330/8370	75/88,87 75/88	OEMA/85790	OEMA/85790	91,91
Sable Wagon	96-05	4Wheel	87350/85125	OEMA/97650	76/91,86	OEMA/85790	OEMA/85790 89635	91,91 77
Sable Wagon	86-95	4Wheel	87350/85125	OEMA/90650 87340/87495	76/91,86 76/90	OEMA/85790	OEMA/85790	91,91
Topaz 2WD & 4WD	86-94	4Wheel	81250	OEMA/87325	71/87	N/A	N/A	
Topaz	84-85	4Wheel	81250	N/A	71	N/A	N/A	
Tracer	97-99	4Wheel	81250	N/A	71	N/A	OEMA 81250	71
Tracer	95-96	4Wheel	81250	OEMA	71	OEMA	OEMA 81250	71
Tracer	91-94	4Wheel	81250	OEMA 67070	71 61	OEMA	OEMA 81250	71
Tracer	87-90	4Wheel	81250	OEMA	71	N/A	OEMA 81250	71
Villager	93-02	4Wheel	75400(1)	75400(1)	42,42	N/A	81250	71
Zephyr	78-83	Thrust	N/A	N/A		N/A	OEMA 81280 82120/85125	71 72/91

MINI

Cooper/CooperS/Conv. 07-08	4Wheel	67610	N/A	66	67630	67630	66,66
Cooper/CooperS/Conv. 03-06	4Wheel	67610	N/A	66	67620	67620	66,66

MITSUBISHI

3000 GT	91-99	4Wheel	OEMA	OEMA		N/A	OEMA 81250	71
Diamante	97-04	4Wheel	73600 73620(8) 73400+73415(7)	OEMA	70 70 43,43	N/A	81250	71
Diamante	92-96	4Wheel	OEMA	OEMA		N/A	81250	71
Eclipse 2WD	06-08	4Wheel	OEMA	OEMA		N/A	81280	71
Eclipse 2WD	00-05	4Wheel	73600 73620(8) 73400+73415(7)	OEMA	70 70 43,43	N/A	81280 82120/85125	71 72/91
Eclipse 2WD & 4WD	95-99	4Wheel	73600 73620(8) 73400+73415(7)	OEMA	70 70 43,43	72170	72170 67170/40920 67370(8)/40920 87460/84885,72509 87580, 87590/72509	70,70 62/92 64/92 76/90,92 77,77/90
Eclipse 2WD	90-94	Thrust	N/A	N/A		N/A	81250	71
Eclipse AWD	90-94	4Wheel	OEMA	OEMA		N/A	81250	71
Expo FWD & AWD	92-96	4Wheel	N/A	OEMA		N/A	81250	71
Galant	04-08	4Wheel	OEMA	OEMA		N/A	81280	71
Galant	99-03	4Wheel	73600 73620(8) 73400+73415(7)	OEMA	70 70 43,43	N/A	81280 82120/85125	71 72/91

PASSENGER CAR / MINI-VAN APPLICATIONS

MITSUBISHI - con't			R E A R			F R O N T		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
Galant	94-98	4Wheel	73600 73620(8) 73400+73415(7)	OEMA	70 70 43,43	72170	72170 67170/40920 67370(8)/ 40920 87460/ 84885,72509 87580, 87590/ 72509	70,70 62/ 92 64/ 92 76/ 90,92 77,77/ 90
Galant	85-93	Thrust	N/A	N/A		N/A	81250	71
Lancer/EVO/Sportback	02-06	4Wheel	OEMA	OEMA		N/A	81260	71
Mirage/Coupe	94-03	4Wheel	OEMA	OEMA		N/A	81250	71
Mirage	85-93	Thrust	N/A	N/A		N/A	81250	71
Precis	87-94	Thrust	N/A	N/A		OEMA	81250	71
Starion	83-89	4Wheel	N/A	OEMA		OEMA	N/A	
Tredia	83-88	Thrust	N/A	N/A		OEMA	81250	71
Van	86-91	Thrust	N/A	N/A		N/A	OEMA	
NISSAN								
200 SX	94-98	Thrust	N/A	N/A		N/A	81250	71
200 SX	82-89	4Wheel	N/A	OEMA		N/A	83115/ 73010(4)	73/ 88
200 SX	80-83	Thrust	N/A	N/A		N/A	N/A	
240 Z	71-73	Thrust	N/A	N/A		N/A	83115/ 73010(4)	73/ 88
240 SX RWD	95-98	4Wheel	OEMA 67775, 67776	OEMA 67740	67,67,67	67720	OEMA 81250 67710	67 71 67
240 SX RWD	89-94	4Wheel	OEMA 67765	OEMA 67740	67,67	67720	OEMA 81250 67710	67 71 67
260 Z	74-74	Thrust	N/A	N/A		N/A	83115/ 73010(4)	73/ 88
280 Z	75-78	Thrust	N/A	N/A		N/A	83115/ 73010(4)	73/ 88
280 ZX	79-83	4Wheel	N/A	N/A		N/A	83115/ 73010(4)	73/ 88
300 ZX	90-96	4Wheel	OEMA	OEMA		N/A	83115/ 73010(4)	73/ 88
300 ZX	84-89	4Wheel	N/A	OEMA		N/A	83115/ 73010(4)	73/ 88
350Z	03-08	4Wheel	OEMA 72050 72055	OEMA 72050 72055	68,68 68,68	72125	72125	70,70
B-110	71-73	Thrust	N/A	N/A		N/A	N/A	
B-210	78-82	Thrust	N/A	N/A		N/A	N/A	
B-310 FWD	80-82	4Wheel	N/A	N/A		N/A	N/A	
B-510	78-81	Thrust	N/A	N/A		N/A	N/A	
810	77-83	Thrust	N/A	N/A		N/A	83115/ 73010(4)	73/ 88
Altima	02-08	4Wheel	OEMA	OEMA		N/A	81260	71
Altima	93-01	4Wheel	81250	OEMA	71	N/A	81250	71
Axxess 2WD, AWD	90-92	4Wheel	N/A	OEMA		N/A	81250	71
Maxima	04-08	4Wheel	OEMA	OEMA		N/A	81260	71
Maxima	95-03	Thrust	N/A	N/A		N/A	81260	71
Maxima	85-94	4Wheel	67010	OEMA	60	N/A	81250	71
Maxima	82-84	Thrust	N/A	N/A		N/A	83115/ 73010(4)	73/ 88
NX	91-94	4Wheel	81250	OEMA	71	N/A	81250	71
Pulsar	87-90	4Wheel	81250	OEMA	71	N/A	OEMA 81250	71
Pulsar	83-86	4Wheel	N/A	N/A		N/A	81250	71
Quest	04-08	4Wheel	OEMA	OEMA		N/A	81260	71
Quest	93-02	4Wheel	75400(1)	75400(1)	42,42	N/A	81250	71
Sentra	07-08	4Wheel	71730*	71720*	43,43	N/A	81260	71
Sentra	95-06	Thrust	N/A	N/A		N/A	81250	71
Sentra	87-94	4Wheel	81250	OEMA	71	N/A	OEMA 81250	71
Sentra	83-86	4Wheel	N/A	N/A		N/A	81250	71

PASSENGER CAR / MINI-VAN ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

- (1) = CAUTION: Check for caliper to rotor clearance with disc brakes. Use spacer pak **75970** pp 42 as necessary to keep caliper centered on rotor • (2) = For RWD Vehicles ONLY
 (3) = **66010, 66020, 66080, 66085** You will need to measure outer bushing diameter on the most forward arm on the rear suspension • (4) = Check Bolt Length BEFORE Cutting Hole
 (5) = Shims, see pp 45 • (6) = LH Toe Tool for front toe adjustment, see pp 86 • (7) = Bolts (**73415** pp 43) are necessary for changes greater than 3/4°
 (8) = Recommended for vehicles lowered more than 1.5" • (9) = Will not work on 1988-89 models with welded-in ball joints • 4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment
 N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, check page for correct size • SW = Station Wagon • ©2008 SPC
All products available from Specialty Products Company are intended for use by professional installers only.



PASSENGER CAR / MINI-VAN APPLICATIONS

NISSAN - con't

Model/Body Style	Year	Alignment	REAR CAMBER/TOOL	TOE/TOOL	Page	FRONT CASTER/TOOL	CAMBER/TOOL	Page
Sentra 4WD Wagon	87-90	4Wheel	81250	OEMA	71	N/A	OEMA 81250	71
Stanza	87-92	4Wheel	67010	OEMA	60	N/A	81250	71
Stanza	82-86	4Wheel	N/A	OEMA		N/A	81250	71
Stanza Wagon	85-88	Thrust	N/A	N/A		N/A	81250	71
Stanza 4WD Wagon	85-88	4Wheel	81260	OEMA	71	N/A	81250	71
Versa	07-08	4Wheel	75800+73415(7)	75800+73415(7)	42,43	N/A	81260	71

OLDSMOBILE

88 FWD/H	86-99	4Wheel	81280 82120/ 85125	OEMA	71 72/ 91	OEMA/ 85125	81280 82120/ 85125	91/71 72/ 91
98 FWD/C	85-99	4Wheel	81280 82120/ 85125	OEMA	71 72/ 91	OEMA	81280 82120/ 85125	71 72/ 91
88,98	80-96	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
Achieva/N	96-98	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81260	71
Achieva/N	92-95	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81280 82120/ 85125	71 72/ 91
Alero	99-04	4Wheel	81250	OEMA	71	N/A	81260	71
Aurora/G	95-03	4Wheel	75800(1)	OEMA	42	OEMA/ 85125	81280 82120/ 85125	91/71 72/ 91
Calais/N	85-91	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81280 82120/ 85125	71 72/ 91
Ciera/A	82-96	4Wheel	75800(1)	75800(1)	42,42	N/A	82110/ 85125	72/ 91
Cutlass/N	97-99	4Wheel	81250	OEMA		N/A	81260	71
Cutlass & Cus. Crsr. FWD/A	82-96	4Wheel	75800(1)	75800(1)	42,42	N/A	82110/ 85125	72/ 91
Custom Cruiser (RWD) B	80-96	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
Cutlass Supreme FWD /W	95-97	4Wheel	81280 82120/ 85125	OEMA/ 83850 85630	71/ 87	N/A	88809, 85125	90,91
Cutlass Supreme FWD /W	88-94	4Wheel	81280 82120/ 85125	OEMA/ 83850 83500	71/ 87 72/ 91/73	N/A	88809, 85125	90,91
Cutlass Supr./G	79-87	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
Firenza/J	82-89	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81280 82120/ 85125	71 72/ 91
Intrigue/W	97-02	4Wheel	81260	OEMA/ 83850	71/ 87	N/A	81260	71
LSS	96-99	4Wheel	81280 82120/ 85125	OEMA	71 72/ 91	OEMA	81280 82120/ 85125	71 72/ 91
Omega/X	80-85	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	82110/ 85125	72/ 91
Regency	97-99	4Wheel	81280 82120/ 85125	OEMA	71 72/ 91	OEMA	81280 82120/ 85125	71 72/ 91
Silhouette AWD	02-03	4Wheel	OEMA	OEMA		N/A	81260	71
Silhouette FWD	97-04	4Wheel	75800(1)	75800(1)	42,42	N/A	81260	71
Silhouette	90-96	4Wheel	75800(1)	75800(1)	42,42	N/A	82110/ 85125	72/ 91
Toronado/E	86-92	4Wheel	75800(1)	OEMA/ 83775 75800(1)	42/ 89 42	OEMA	OEMA 81280 82120/ 85125	71 72/ 91
Toronado/E	78-85	4Wheel	75800(1)	OEMA/ 83775 75800(1)	42/ 89 42	OEMA	OEMA	
Trofeo/E	88-92	4Wheel	75800(1)	OEMA 75800(1)	42	OEMA	81280 82120/ 85125	71 72/ 91

PLYMOUTH

All Models	60-73	Thrust	N/A	N/A		OEMA 83160	OEMA 83160	73,73
Acclaim/A	89-94	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44	N/A	OEMA 83170	73
Breeze	96-00	4Wheel	OEMA	OEMA		N/A	67180/40920 87470/ 87495,72509	62/ 92 76/ 90,92
Caravelle FWD/E	84-88	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Colt Vista 4WD/B3	85-96	4Wheel	N/A	OEMA		OEMA	81250	71
Colt Vista 2WD/B3	92-94	4Wheel	N/A	OEMA		N/A	81250	71

PASSENGER CAR / MINI-VAN APPLICATIONS

PLYMOUTH - con't			REAR			FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
Colt Vista 2WD/B3	84-91	Thrust	N/A	N/A		N/A	81250	71
Conquest/B5	88-89	Thrust	N/A	N/A		N/A	N/A	
Grand Fury/M	65-89	Thrust	N/A	N/A		OEMA	OEMA	
Horizon/L	78-90	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Laser AWD /G	92-94	4Wheel	OEMA	OEMA		N/A	81250	71
Laser 2WD /G	89-94	Thrust	N/A	N/A		N/A	81250	71
Neon, Neon R/T	94-01	4Wheel	81250 67210	OEMA 67210	71 63,63	N/A	81260	71
Prowler	97-01	Thrust	N/A	N/A		OEMA	OEMA	
Reliant/K	81-89	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Sapporo	80-83	Thrust	N/A	N/A		N/A	N/A	
Scamp	82-85	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Sundance/P	87-94	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
TC3 /L	79-87	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Turismo/L	78-87	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA 83170	73
Voyager	96-01	4Wheel	71730*	71720*	43,43	N/A	OEMA 81260 83170/ 85125	71 73/ 91
Voyager AWD	97-01	Thrust	N/A	N/A		N/A	81260 83170/ 85125	71 73/ 91
Voyager	90-95	4Wheel	75400(1) 71300*(1)	75400(1) 71300*(1)	42,42 44,44	N/A	OEMA 83170	73
Voyager AWD w/ABS	90-95	Thrust	N/A	N/A		N/A	OEMA 83170	73
Voyager AWD w/o ABS	90-95	4Wheel	71730*	71720*	43,43	N/A	OEMA 83170	73
PONTIAC								
1000/T	76-87	Thrust	N/A	N/A		OEMA	OEMA	
2000 Sunbird/J	82-94	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81280 82120/ 85125	71 72/ 91
6000/A	82-91	4Wheel	75800(1)	75800(1)	42,42	N/A	82110/ 85125	72/ 91
Bonneville/G	00-06	4Wheel	75800(1)	OEMA 75800(1)	42 42	N/A	81280 82120/ 85125	71 72/ 91
Bonneville/H	87-99	4Wheel	81280 82120/ 85125	OEMA	71 72/ 91	OEMA/ 85125	81280 82120/ 85125	91 /71 72/ 91
Bonneville RWD/B	65-86	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
Catalina RWD/B	65-86	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
Fiero/P	84-88	4Wheel	82110/ 85125	OEMA	72/ 91	OEMA	OEMA	
Firebird/F	93-02	Thrust	N/A	N/A		OEMA/ 83775	OEMA/ 83775	89,89
Firebird/F	82-92	Thrust	N/A	N/A		OEMA	OEMA/ 8292 81280 82120/ 85125	89 71 72/ 91
G5	07-08	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81250	71
G6	05-08	4Wheel	OEMA	OEMA		N/A	81250	71

PASSENGER CAR / MINI-VAN ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

- (1) = CAUTION: Check for caliper to rotor clearance with disc brakes. Use spacer pak **75970** pp 42 as necessary to keep caliper centered on rotor • (2) = For RWD Vehicles ONLY
 (3) = **66010, 66020, 66080, 66085** You will need to measure outer bushing diameter on the most forward arm on the rear suspension • (4) = Check Bolt Length BEFORE Cutting Hole
 (5) = Shims, see pp 45 • (6) = LH Toe Tool for front toe adjustment, see pp 86 • (7) = Bolts (**73415** pp 43) are necessary for changes greater than 3/4°
 (8) = Recommended for vehicles lowered more than 1.5" • (9) = Will not work on 1988-89 models with welded-in ball joints • 4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment
 N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, check page for correct size • SW = Station Wagon • ©2008 SPC
All products available from Specialty Products Company are intended for use by professional installers only.

**PASSENGER CAR / MINI-VAN APPLICATIONS****PONTIAC - con't**

Model/Body Style Year Alignment

R E A R

CAMBER/TOOL

TOE/TOOL

Page

F R O N T

CASTER/TOOL

CAMBER/TOOL

Page

Firefly	85-92	Thrust	N/A	N/A		N/A	81250	71
Grand Am/N	04-05	4Wheel	81250	OEMA	71	N/A	81260	71
Grand Am/N	99-03	4Wheel	81250	OEMA	71	N/A	81250	71
Grand Am/N	96-98	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81260	71
Grand Am/N	88-95	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81280 82120/ 85125	71 72/ 91
Grand Prix/W	97-08	4Wheel	81260	OEMA	71	N/A	81260	71
Grand Prix FWD/W	95-96	4Wheel	81280 82120/ 85125	OEMA/ 83850 85630	71/ 87 72/ 91 /75	N/A	88809, 85125	90,91
Grand Prix FWD/W	88-94	4Wheel	81280	OEMA 83500	71 73	N/A	88809, 85125	90,91
Grand Prix RWD/G	65-87	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
GTO	04-06	4Wheel	N/A	OEMA		OEMA	OEMA 81260	71
LeMans/T	88-94	Thrust	N/A	N/A		N/A	N/A	
Montana/SV6 FWD	97-07	4Wheel	75800(1)	75800(1)	42,42	N/A	81260	71
Montana/SV6 AWD	02-07	4Wheel	OEMA	OEMA		N/A	81260	71
Phoenix/X	80-85	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	82110/ 85125	72/ 91
Safari SW RWD/B	80-89	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
Soltice	06-08	4Wheel	OEMA	OEMA		OEMA	OEMA	
Sunfire/J & Tempest	95-06	4Wheel	75400(1) 71400*(1)	75400(1) 71400*(1)	42,42 44,44	N/A	81260	71
Torrent FWD/AWD	06-08	4Wheel	OEMA	OEMA		N/A	81260	71
Transport	97-01	4Wheel	75800(1)	75800(1)	42,42	N/A	81260	71
Transport	90-96	4Wheel	75800(1)	75800(1)	42,42	N/A	82110/ 85125	72/ 91
Vibe FWD	03-08	4Wheel	75800(1)+73415	75800(1)+73415	42,43	N/A	81290	71
Vibe AWD	03-08	4Wheel	OEMA	OEMA		N/A	81290	71

PORSCHE

911	80-08	4Wheel	OEMA	OEMA		N/A	OEMA	
924	80-82	4Wheel	OEMA	OEMA		OEMA	81250	71
924S	87-88	4Wheel	OEMA	OEMA		OEMA	81250	71
928	80-96	4Wheel	OEMA	OEMA		OEMA	OEMA	
944	82-91	4Wheel	OEMA	OEMA		OEMA	OEMA 81250	71
968	92-95	4Wheel	OEMA	OEMA		OEMA	OEMA	
Boxster	97-08	4Wheel	OEMA	OEMA		N/A	OEMA	
Cayman	06-08	4Wheel	OEMA	OEMA		N/A	OEMA	

SAAB

9-2X	05-07	4Wheel	81260 67640	OEMA 67640	71 66,66	67650	81260 67650	71 66
9(3)	03-08	Thrust	OEMA	OEMA		N/A	81250	71
9(3)	99-02	Thrust	N/A	N/A		N/A	N/A	
9(5)	00-08	4Wheel	N/A	OEMA		N/A	81250	71
99	80-80	Thrust	N/A	N/A		OEMA	OEMA	
900	94-99	Thrust	N/A	N/A		N/A	N/A	
900	80-93	Thrust	N/A	N/A		OEMA(5)	OEMA(5)	
9000	86-98	Thrust	N/A	N/A		N/A	81250	71

SATURN

Aura	07-08	4Wheel	OEMA	OEMA		N/A	81250	71
Ion	03-07	Thrust	75400	75400	42,42	N/A	81250	71
L-Series	00-05	4Wheel	67270	OEMA	64	N/A	81250	71
Relay FWD	05-08	4Wheel	75800(1)	75800(1)	42,42	N/A	81260	71
Relay AWD	05-08	4Wheel	OEMA	OEMA		N/A	81260	71
S-Series (inc. S-Coupe '01)	91-03	4Wheel	81260	OEMA 85600/ 78090	71 75/ 86	OEMA	81260	71
Sky	07-08	4Wheel	OEMA	OEMA		OEMA	OEMA	
Vue	02-08	4Wheel	OEMA	OEMA		N/A	81260	71

PASSENGER CAR / MINI-VAN APPLICATIONS

SCION			REAR			FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
xA	04-08	4Wheel	75800(1)	75800(1)	42,42	N/A	81260	71
xB	04-07	4Wheel	75800(1)	75800(1)	42,42	N/A	81260	71
iC	05-08	4Wheel	OEMA 67485	OEMA	65	N/A	81290	71
SUBARU								
All (except below)	80-94	4Wheel	N/A	OEMA		84300	N/A	73
B9 Tribeca	06-08	4Wheel	N/A	OEMA		N/A	81260	71
Baja	03-07	4Wheel	N/A	OEMA		N/A	81260	71
Forester	98-08	4Wheel	81260	OEMA	71	N/A	OEMA 81260	71
Justy	87-94	4Wheel	N/A	OEMA		N/A	N/A	
Impreza, WRX	08-08	4Wheel	N/A	OEMA		N/A	81260	71
Impreza, WRX	01-07	4Wheel	81260 67640 (except STI)	OEMA 67640 (except STI)	71 66,66	67650	OEMA 81260 67650	66 71 66
Impreza, WRX	93-00	4Wheel	81260 67640 (except STI)	OEMA 67640 (except STI)	71 66,66	N/A	OEMA 81260	71
Legacy/Outback/GT	00-08	4Wheel	N/A	OEMA		N/A	81260	71
Legacy/Outback	89-99	4Wheel	81260	OEMA	71	N/A	OEMA 81260	71
Legacy SVX	92-97	4Wheel	81260	OEMA	71	N/A	OEMA 81260	71
SUZUKI								
Aerio/Aerio SX	03-07	4Wheel	81250	OEMA	71	N/A	81250	71
Esteem	95-02	4Wheel	81250	OEMA	71	OEMA	81250	71
Forenza/Forenza Wgn.	04-08	4Wheel	81250	OEMA	71	N/A	81250	71
Reno	05-08	4Wheel	81250	OEMA	71	N/A	81250	71
Swift	89-01	4Wheel	N/A	OEMA		OEMA	81250	71
SX4	07-08	4Wheel	N/A	OEMA		N/A	81250	71
Verona	04-08	4Wheel	N/A	OEMA		OEMA	81250	71
TOYOTA								
Avalon	95-08	4Wheel	81270	OEMA	71	N/A	81290 82120/ 85125	71 72/ 91
Camry	07-07	4Wheel	N/A	OEMA		N/A	81290	71
Camry, Camry Solara	92-08	4Wheel	81270	OEMA	71	N/A	81290 82120/ 85125	71 72/ 91
Camry	88-91	4Wheel	81270	OEMA	71	85690, 85695	81290 82120/ 85125	75/71 72/ 91
Camry	83-87	4Wheel	81270	OEMA	71	OEMA 85690, 85695	OEMA 81290 82120/ 85125	75/71 72/ 91
Camry Wagon	88-96	4Wheel	81270	OEMA	71	85690, 85695	81290 82120/ 85125	75/71 72/ 91
Carina	72-73	Thrust	N/A	N/A		N/A	N/A	
Celica FWD	00-05	4Wheel	OEMA 67440	OEMA	65	N/A	81270	71
Celica FWD	86-99	4Wheel	81270	OEMA	71	N/A	81270	71
Celica RWD	71-85	Thrust	N/A	N/A		N/A	N/A	
Celica All-Trac	89-92	Thrust	N/A	N/A		N/A	81270	71
Corolla	03-08	4Wheel	75800(1)+73415	75800(1)+73415	42,43	OEMA	81270	71
Corolla	88-02	4Wheel	81250	OEMA	71	N/A	81270	71
Corolla All-Trac	89-92	Thrust	N/A	N/A		N/A	81270	71
Corolla FWD	84-87	4Wheel	81250	OEMA	71	N/A	81250	71
Corolla RWD	75-87	Thrust	N/A	N/A		OEMA	N/A	
Cressida	89-92	4Wheel	OEMA	OEMA		OEMA	N/A	

PASSENGER CAR / MINI-VAN ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

(1) = CAUTION: Check for caliper to rotor clearance with disc brakes. Use spacer pak **75970** pp 42 as necessary to keep caliper centered on rotor • (2) = For RWD Vehicles ONLY
 (3) = **66010, 66020, 66080, 66085** You will need to measure outer bushing diameter on the most forward arm on the rear suspension • (4) = Check Bolt Length BEFORE Cutting Hole
 (5) = Shims, see pp 45 • (6) = LH Toe Tool for front toe adjustment, see pp 86 • (7) = Bolts (**73415** pp 43) are necessary for changes greater than 3/4°
 (8) = Recommended for vehicles lowered more than 1.5" • (9) = Will not work on 1988-89 models with welded-in ball joints • 4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment
 N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, check page for correct size • SW = Station Wagon • ©2008 SPC
All products available from Specialty Products Company are intended for use by professional installers only.

**PASSENGER CAR / MINI-VAN APPLICATIONS**

TOYOTA - con't			REAR			FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
Cressida	85-88	4Wheel	N/A	OEMA		85690, 85695	N/A	75,75
Cressida	83-84	4Wheel	N/A	OEMA		OEMA	N/A	
Cressida	82-82	Thrust	N/A	N/A		OEMA	N/A	
Cressida	78-81	Thrust	N/A	N/A		N/A	N/A	
Cressida Wagon RWD	83-88	Thrust	N/A	N/A		OEMA	N/A	
Echo	00-06	4Wheel	75800(1)	75800(1)	42,42	N/A	81260	71
FX16	86-88	4Wheel	81250	OEMA	71	N/A	OEMA 81250	71
Matrix AWD	03-08	4Wheel	OEMA	OEMA		N/A	81290	71
Matrix FWD	03-08	4Wheel	75800(1)+73415	75800(1)+73415	42,43	N/A	81290	71
MR2 Spyder	00-06	4Wheel	81270	OEMA	71	OEMA	81270	71
MR2	91-97	4Wheel	81270	OEMA	71	OEMA	81270	71
MR2	85-90	4Wheel	OEMA 81250	OEMA	71	OEMA	OEMA 81250	71
Paseo	92-97	Thrust	N/A	N/A		N/A	81270	71
Previa 2WD, AWD	90-97	Thrust	N/A	N/A		N/A	81290 82120/ 85125	71 72/ 91
Prius	01-08	4Wheel	75800(1)	75800(1)	42,42	N/A	81270	71
Solara	92-08	4Wheel	81270	OEMA	71	N/A	81290 82120/ 85125	71 72/ 91
Sienna	98-08	4Wheel	71020*	71020*	43,43	N/A	81290 82120/ 85125	71 72/ 91
Supra	96-98	4Wheel	OEMA	OEMA		OEMA	OEMA	
Supra (2.8L)	79-86	4Wheel	N/A	OEMA		N/A	N/A	
Starlet	81-84	Thrust	N/A	N/A		85690, 85695	N/A	75,75
Tercel	87-99	Thrust	N/A	N/A		N/A	OEMA 81270	71
Tercel	83-86	4Wheel	81250	OEMA	71	85690, 85695	OEMA 81250	75,75 71
Tercel Wagon (2WD)	87-89	4Wheel	N/A	OEMA		OEMA	OEMA 81270	71
Tercel Wagon (4WD)	86-89	4Wheel	81250	OEMA	71	85690, 85695	OEMA 81270	75,75 71
Van 2WD, AWD	86-89	Thrust	N/A	N/A		OEMA	OEMA	
Yaris	07-08	4Wheel	N/A	N/A		N/A	81270	71

VOLKSWAGEN

Beetle/Conv.	99-08	4Wheel	71530*/ 87530	71520*/ 87530	43/ 96	81340	81340	72,72
Cabrio	95-02	4Wheel	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	42,42 44,42 44,42	N/A	81250	71
Cabriole	85-94	4Wheel	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	42,42 44,42 44,42	N/A	81250	71
Corrado	90-94	4Wheel	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	42,42 44,42 44,42	N/A	81250	71
Dasher	73-81	4Wheel	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	42,42 44,42 44,42	N/A	OEMA	
Eos(A5)	07-08	4Wheel	OEMA	OEMA		N/A	N/A	
EuroVan	93-04	4Wheel	N/A	OEMA		N/A	OEMA	
Fox	87-94	4Wheel	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	42,42 44,42 44,42	N/A	OEMA	
Golf	99-06	4Wheel	71530*/ 87530	71520*/ 87530	43/ 96	81340	81340	72,72
Golf R32	04-06	4Wheel	N/A	N/A		81340	81340	72,72
Golf	84-98	4Wheel	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	42,42 44,42 44,42	N/A	81250	71
GTI/R32 (A5)	06-08	4Wheel	OEMA	OEMA		N/A	N/A	
GTI (A4)	99-06	4Wheel	71530*/ 87530	71520*/ 87530	43/ 96	81340	81340	72,72
GTI	82-98	4Wheel	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	42,42 44,42 44,42	N/A	81250	71

PASSENGER CAR / MINI-VAN APPLICATIONS

VOLKSWAGEN - con't			REAR			FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	CASTER/TOOL	CAMBER/TOOL	Page
Jetta/GLI(A5)	05-08	4Wheel	OEMA	OEMA		N/A	N/A	
Jetta(A4)	99-05	4Wheel	71530*/ 87530	71520*/ 87530	43/ 96	81340	81340	72,72
Jetta	80-98	4Wheel	75200(1) +10408 71200*(1)+10408	75200(1) +10408 71200*(1)+10408	42,42 44,42	N/A	81250	71
Passat(B6)	06-08	4Wheel	OEMA	OEMA		N/A	N/A	
Passat AWD	01-05	4Wheel	OEMA	OEMA		N/A	N/A	
Passat 2WD	98-05	4Wheel	75800(1)+10408	75800(1)+10408	42,42	N/A	N/A	
Passat	90-97	4Wheel	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	75200(1) +10408 71200*(1)+10408 71100*(1)+10408	42,42 44,42 44,42	N/A	81250	71
Quantum	82-89	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA	
Rabbit(A5)	06-08	4Wheel	OEMA	OEMA		N/A	N/A	
Rabbit	74-84	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	81250	71
Scirocco	74-91	4Wheel	75200(1) 71200*(1) 71100*(1)	75200(1) 71200*(1) 71100*(1)	42,42 44,44 44,44	N/A	OEMA	
Syncro & Vanagan	86-91	4Wheel	OEMA	OEMA		OEMA	OEMA	
Type I	65-79	4Wheel	N/A	OEMA		N/A	OEMA	
VOLVO								
40 Series-S40, V40	00-03	4Wheel	OEMA	OEMA		N/A	81250	71
90 Series	98-00	4Wheel	N/A	OEMA		OEMA	81250	71
240	80-91	Thrust	N/A	N/A		N/A	OEMA	
740	85-93	Thrust	N/A	N/A		OEMA	N/A	
940	85-95	Thrust	N/A	N/A		OEMA	N/A	
760	83-94	4Wheel	OEMA	OEMA		OEMA	N/A	
850 GLT FWD	93-97	4Wheel	N/A	OEMA		N/A	81250	71
960	95-97	4Wheel	OEMA	OEMA		N/A	81250	71
C70	06-08	4Wheel	N/A	OEMA		N/A	N/A	
C70	97-05	4Wheel	N/A	N/A		N/A	81250	71
GV Series	87-89	4Wheel	OEMA	OEMA		N/A	81250	71
S40, V50	04-08	4Wheel	81310 67420	OEMA	72 65	N/A	N/A	
S60	01-08	4Wheel	N/A	OEMA		N/A	81260	71
S70, V70, XC	98-08	4Wheel	N/A	OEMA		N/A	81260	71
S-80 Sedan	99-08	4Wheel	N/A	OEMA		N/A	81260	71
V70, XC70	02-08	4Wheel	N/A	OEMA		N/A	81260	71
XC-90	03-08	4Wheel	N/A	OEMA		N/A	81260	71

PASSENGER CAR / MINI-VAN ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

(1) = CAUTION: Check for caliper to rotor clearance with disc brakes. Use spacer pak **75970** pp 42 as necessary to keep caliper centered on rotor • (2) = For RWD Vehicles ONLY
 (3) = **66010, 66020, 66080, 66085** You will need to measure outer bushing diameter on the most forward arm on the rear suspension • (4) = Check Bolt Length BEFORE Cutting Hole
 (5) = Shims, see pp 45 • (6) = LH Toe Tool for front toe adjustment, see pp 86 • (7) = Bolts (**73415** pp 43) are necessary for changes greater than 3/4°
 (8) = Recommended for vehicles lowered more than 1.5" • (9) = Will not work on 1988-89 models with welded-in ball joints • 4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment
 N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment • (*) = Series P/N, check page for correct size • SW = Station Wagon • ©2008 SPC
All products available from Specialty Products Company are intended for use by professional installers only.



LIGHT TRUCK/SUV APPLICATIONS

ACURA - 4x4

Model/Body Style	Year	Alignment	REAR CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate Angle Gauge	FRONT CASTER/TOOL	CAMBER/TOOL	Page
MD-X	07-08	4Wheel	N/A	N/A			N/A	N/A	
MD-X	01-06	4Wheel	67290	OEMA	64		N/A	81280 82120/ 85125	71 72/ 91
RDX	07-08	4Wheel	N/A	OEMA			N/A	81280	71
SLX	96-00	Thrust	N/A	N/A			OEMA(5)	OEMA(5)	

AUDI - 4x4

Q7	07-08		N/A	N/A			N/A	N/A	
----	-------	--	-----	-----	--	--	-----	-----	--

BMW - 4x4

X-3 (E83)	05-08	Thrust	N/A	N/A			N/A	N/A	
X-5 (E70)	07-08	4Wheel	OEMA	OEMA			N/A	N/A	
X-5 (E53)	00-06	4Wheel	OEMA	OEMA			N/A	81280 82120/ 85125	71 72/ 91

BUICK - 4x4

Enclave	08-08	4Wheel	OEMA	OEMA			N/A	81280	71
Rainier	04-07	Thrust	N/A	N/A		■	N/A	OEMA/ 83795	89
Rendezvous	02-07	4Wheel	OEMA	OEMA			N/A	81260	71

CADILLAC - 4x4

Escalade	99-01	Thrust	N/A	N/A		■	OEMA 87400/ 74910 83790/ 74910	OEMA 87400/ 74910 83790/ 74910	57/ 84 54/ 84
Escalade/ESV/EXT	07-08	Thrust	N/A	N/A		■	OEMA	OEMA	
Escalade/ESV/EXT	02-08	Thrust	N/A	N/A		■	OEMA 86375	OEMA 86350/ 72509, 79500 86375	56,55/ 92,93 56
SRX	04-08	4Wheel	OEMA	OEMA			OEMA	OEMA	

CHEVROLET/GMC - 4x4

Acadia	07-08	4Wheel	OEMA	OEMA			N/A	81280	71
Avalanche 1500	02-08	Thrust	N/A	N/A		■	OEMA 86375	OEMA 86350/ 72509, 79500 86375	56,55/ 92,93 56
Avalanche 2500	02-07	Thrust	N/A	N/A		■	OEMA 86375	OEMA 86330/ 72509, 79500 86375	56,55/ 92,93 56
Colorado, Canyon	04-08	Thrust	N/A	N/A		■	OEMA/ 45938	OEMA/ 45938	84,84
Express, Savana Van (G)	03-08	Thrust	N/A	N/A		■	OEMA 86370 86375	OEMA 86370 86375	56 56
K1500 Silverado, Sierra	99-08	Thrust	N/A	N/A		■	OEMA 86375	OEMA 86350/ 72509, 79500 86375	56,55/ 92,93 56
K1500HD, Crew Cab Long Bed	01-08	Thrust	N/A	N/A		■	OEMA 86375	OEMA 86330/ 72509, 79500 86375	56,55/ 92,93 56
K2500, 3500, Silverado, Sierra	99-08 99-08	Thrust	N/A	N/A		■	OEMA 86375	OEMA 86330/ 72509, 79500 86375	56,55/ 92,93 56
K1500,2500,3500	88-98	Thrust	N/A	N/A		■	OEMA 87400/ 74910 83790/ 74910	OEMA 87400/ 74910 83790/ 74910	57/ 84 54/ 84
K-5 Blazer	70-87	Thrust	N/A	N/A		■	23000*/ 4169	23000*/ 4169 56800*/ 85796	47/ 85 85/ 84
K-10, 20	70-87	Thrust	N/A	N/A			23000*/ 4169	23000*/ 4169 56800*/ 85796	47/ 85 85/ 84
K30, V30	58-87	Thrust	N/A	N/A		■	Axle Wedges	23000*/ 4169	46,47/ 85
K30, V30 (Dana 60)	88-94	Thrust	N/A	N/A			Axle Wedges 88940 88950	88940 88950	46 58,58 58,58
Luv	80-82	Thrust	N/A	N/A		■	OEMA(5)	OEMA(5)	
Suburban 1500	00-08	Thrust	N/A	N/A		■	OEMA 86375	OEMA 86350/ 72509, 79500 86375	56,55/ 92,93 56
Suburban 2500	00-08	Thrust	N/A	N/A		■	OEMA 86375	OEMA 86330/ 72509, 79500 86375	56,55/ 92,93 56

LIGHT TRUCK/SUV APPLICATIONS

CHEVY/GMC - 4x4 con't					REAR		FRONT		
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate Angle Gauge	CASTER/TOOL	CAMBER/TOOL	Page
Suburban	92-99	Thrust	N/A	N/A		■	OEMA 87400/ 74910 83790/ 74910	OEMA 87400/ 74910 83790/ 74910	57/ 84 54/ 84
Suburban	70-91	Thrust	N/A	N/A			23000*/ 4169	23000*/ 4169 56800*/ 85796	47/ 85 85/ 84
S10 Blazer, Pickup- S15 Jimmy, Sonoma	82-04	Thrust	N/A	N/A		■	OEMA	OEMA	
Tahoe, Yukon, Denali 1500	00-08	Thrust	N/A	N/A			OEMA 86375	OEMA 86350/ 72509,79500 86375	56,55/ 92,93 56
Yukon, Denali 2500	00-08	Thrust	N/A	N/A			OEMA 86375	OEMA 86330/ 72509,79500 86375	56,55/ 92,93 56
Tahoe, Blazer	92-99	Thrust	N/A	N/A		■	OEMA 87400/ 74910 83790/ 74910	OEMA 87400/ 74910 83790/ 74910	57/ 84 54/ 84
Tracker	98-04	Thrust	N/A	N/A		■	N/A	81250	71
Trailblazer, Envoy	02-08	Thrust	N/A	N/A		■	N/A	OEMA/ 83795	89
Kodiak, Topkick 4500, 5500	05-08	Thrust	N/A	N/A		■	23230* 24230	23230* 24230	50,50 50,50
V10, V20, V1500, V2500	88-91	Thrust	N/A	N/A		■	23000*/ 4169	23000*/ 4169 56800*/ 85796	47/ 85 85/ 84

CHEVROLET/GMC - 4x2

Acadia	07-08	4Wheel	OEMA	OEMA			N/A	81280	71
C1500	99-08	Thrust	N/A	N/A		■	OEMA 86375	OEMA 86350/ 72509,79500 86375	56,55/ 92,93 56
C2500, 3500	99-08	Thrust	N/A	N/A		■	OEMA 86375	OEMA 86330/ 72509,79500 86375	56,55/ 92,93 56
C1500, C2500, C3500	88-98	Thrust	N/A	N/A		■	OEMA 87400/ 74910 83790/ 74910	OEMA 87400/ 74910 83790/ 74910	57/ 84 54/ 84
C10,C20,C30,Blazer- C1500, C2500, C3500	65-87	Thrust	N/A	N/A			OEMA(5)	OEMA(5)	
Colorado, Canyon	04-07	Thrust	N/A	N/A		■	OEMA/ 45938	OEMA/ 45938	84,84
Express, Savana Van (G)	03-08	Thrust	N/A	N/A		■	OEMA 86370 86375	OEMA 86370 86375	56 56
Express, Savana Van (G)	96-02	Thrust	N/A	N/A		■	OEMA 87400/ 74910 83790/ 74910	OEMA 87400/ 74910 83790/ 74910	57/ 84 54/ 84
G10,G20,G30	71-96	Thrust	N/A	N/A		■	OEMA(5)	OEMA(5)	
R10,R20,R30,Blazer- R1500,R2500,R3500,Jimmy	88-91	Thrust	N/A	N/A		■	OEMA(5)	OEMA(5)	
S10 Blazer, Pickup- S15 Jimmy, Sonoma	82-04	Thrust	N/A	N/A		■	OEMA(5)	OEMA(5)	
SSR	04-06	Thrust	N/A	N/A		■	N/A	OEMA	
Suburban 1500	00-08	Thrust	N/A	N/A		■	OEMA 86375	OEMA 86350/ 72509,79500 86375	56,55/ 92,93 56
Suburban 2500	00-08	Thrust	N/A	N/A		■	OEMA 86375	OEMA 86330/ 72509,79500 86375	56,55/ 92,93 56
Suburban	92-99	Thrust	N/A	N/A		■	OEMA 87400/ 74910 83790/ 74910	OEMA 87400/ 74910 83790/ 74910	57/ 84 54/ 84
Suburban	65-91	Thrust	N/A	N/A		■	OEMA(5)	OEMA(5)	
Tahoe, Yukon 1500	00-08	Thrust	N/A	N/A			OEMA 86375	OEMA 86350/ 72509,79500 86375	56,55/ 92,93 56

LIGHT TRUCK/SUV ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

(*) = Series P/N, check page for size • (5) = Shims, see pp 45 • (8) = For vehicles lowered more than 1.5" • (11) = Pinion Angle Adj. Part No. 82370, see pp 53

■ = Thrust Alignment Plate can correct thrust angle and setback, see pp 53 / Check frame angle with Angle Gauge Part No. 64225, pp 97 • ©2008 SPC
4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment

All products available from Specialty Products Company are intended for use by professional installers only.



LIGHT TRUCK/SUV APPLICATIONS

CHEVY/GMC - 4x2 con't REAR

Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate Angle Gauge	FRONT CASTER/TOOL	CAMBER/TOOL	Page
Yukon 2500	00-08	Thrust	N/A	N/A			OEMA 86375	OEMA 86330/72509,79500 86375	56,55/92,93 56
Tahoe, Blazer, Yukon	94-99	Thrust	N/A	N/A		■	OEMA 87400/74910 83790/74910	OEMA 87400/74910 83790/74910	57/84 54/84
Trailblazer, Envoy	02-08	Thrust	N/A	N/A		■	N/A	OEMA/83795	89

CHRYSLER - 4x4

Aspen	07-08	Thrust	N/A	N/A			OEMA	OEMA	
-------	-------	--------	-----	-----	--	--	------	------	--

DIAHATSU - 4x4

Rocky	90-92	Thrust	N/A	N/A			OEMA(5)	OEMA(5)	
-------	-------	--------	-----	-----	--	--	---------	---------	--

DODGE - 4x4

BR1500, BR2500 LD Ram	94-01	Thrust	N/A	N/A		■	23510 - 23540/ 23580, 72509	23510 - 23540/ 23580, 72509	50,50 93,92
BR2500 HD, BR3500 Ram	00-02	Thrust	N/A	N/A		■	23710 - 23730/ 23780, 72509	23710 - 23730/ 23780, 72509	51,51 93,92
BR2500 HD, BR3500 Ram	94-99	Thrust	N/A	N/A		■	23130* 24130/74500	23130* 24130/74500	47 47/85
DR1500 Ram	06-08	Thrust	N/A	N/A			OEMA	OEMA	
DR1500 Ram	02-05	Thrust	N/A	N/A		■	OEMA 23755	OEMA 23755	51,51
DR2500 HD, DR3500 Ram	03-08	Thrust	N/A	N/A		■	23800 - 23830/ 23780, 72509	23800 - 23830/ 23780, 72509	51,51 93,92
Dakota	87-08	Thrust	N/A	N/A		■	OEMA/8286	OEMA/8286	89,89
Durango	04-08	Thrust	N/A	N/A			OEMA	OEMA	
Durango	98-03	Thrust	N/A	N/A		■	OEMA/8286	OEMA/8286	89,89
Nitro	07-08	Thrust	N/A	N/A		■	OEMA	OEMA	
Raider	87-89	Thrust	N/A	N/A		■	OEMA	OEMA	
W100, W150, AW150	72-93	Thrust	N/A	N/A		■	23000*/4169	23000*/4169	47/85
W200, W250	72-93	Thrust	N/A	N/A		■	23000*/4169	23000*/4169	47/85
W300, W350	60-93	Thrust	N/A	N/A		■	Axle Wedges	N/A	46
W300, W350 w/ Dana 60	75-93	Thrust	N/A	N/A		■	Axle Wedges 88940 88950	88940 88950	46 58,58 58,58

DODGE - 4x2

AD150	90-96	Thrust	N/A	N/A		■	OEMA/8286	OEMA/8286	89,89
AD150	72-89	Thrust	N/A	N/A		■	OEMA 83160	OEMA 83160	73,73
B100, B200, B300	70-80	Thrust	N/A	N/A		■	OEMA 83160	OEMA 83160	73,73
B150, B250, B350	81-01	Thrust	N/A	N/A		■	OEMA/8286	OEMA/8286	89,89
DR1500 Ram	06-08	Thrust	N/A	N/A			OEMA	OEMA	
DR1500 Ram	02-05	Thrust	N/A N/A	N/A N/A		■	OEMA 23765	OEMA 23765	51,51
BR1500, BR2500 Ram	94-01	Thrust	N/A	N/A		■	OEMA	OEMA	
DR2500, DR3500 Ram	03-08	Thrust	N/A	N/A		■	OEMA/8286	OEMA/8286	
BR2500 HD, BR3500 Ram - w/mono beam	00-02	Thrust	N/A	N/A		■	23710 - 23730/ 23780, 72509	23710 - 23730/ 23780, 72509	51,51 93,92
BR3500 w/mono beam Ram	94-99	Thrust	N/A	N/A		■	23130* 24130/74500	23130* 24130/74500	47 47/85
D150, D250, D350	88-93	Thrust	N/A	N/A		■	OEMA	OEMA	
D100, D150, D200, D250	72-87	Thrust	N/A	N/A		■	OEMA	OEMA	
D300, D350, D400, D450	72-87	Thrust	N/A	N/A			83160	83160	73,73
Dakota	87-08	Thrust	N/A	N/A		■	OEMA/8286, 6140	OEMA/8286, 6140	89,88
Durango	04-08	Thrust	N/A	N/A			OEMA	OEMA	
Durango	98-03	Thrust	N/A	N/A		■	OEMA/8286, 6140	OEMA/8286, 6140	
Nitro	07-08	Thrust	N/A	N/A		■	OEMA	OEMA	
Raider	87-89	Thrust	N/A	N/A		■	OEMA	OEMA(5)	
Sprinter Van	07-08	Thrust	N/A	N/A			N/A	81280	71
Sprinter Van	03-06	Thrust	N/A	N/A			N/A	N/A	

LIGHT TRUCK/SUV APPLICATIONS

FORD - 4x4			REAR			Thrust Plate Angle Gauge	FRONT			Page
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page		CASTER/TOOL	CAMBER/TOOL	Page	
Bronco II (Late 1990)	90-90	Thrust	N/A	N/A		■	23180*/77880,87175 24180/74400,74500 87275	23180*/77880,87175 24180/74400,74500	49/85,85 49/85,85 56	
Bronco II (Early 1990)	83-89	Thrust	N/A	N/A		■	23120*/77880 24120/74500 87275	23120*/77880 24120/74500	48/85 48/85 56	
Edge AWD	07-08	4Wheel	OEMA	OEMA			N/A	81280	71	
Escape	01-08	4Wheel	67280	OEMA	63		OEMA	OEMA 81250	71	
Excursion	00-05	Thrust	N/A	N/A		■	23130* 24130/74500	23130* 24130/74500	47 47/85	
Expedition	07-08	4Wheel	OEMA	OEMA			OEMA 86230/83820	OEMA 86230/83820	55/85	
Expedition	03-06	4Wheel	86680	OEMA	56		86640	86640	56,56	
Expedition	97-02	Thrust	N/A	N/A		■	87385/87155	87385/87155	57/89	
Explorer	06-08	4Wheel	OEMA	OEMA			OEMA	OEMA		
Explorer	02-05	4Wheel	86180	OEMA	54		86140	86140	54,54	
Explorer	95-01	Thrust	N/A	N/A		■	87310/87155 87500/87155	87310/87155 87500/87155	57/89 58/89	
Explorer	91-94	Thrust	N/A	N/A		■	23180*/77880,87175 24180/74400,74500 87275	23180*/77880,87175 24180/74400,74500	49/85,85 49/85,85 56	
Explorer Sport Trac	07-08	4Wheel	OEMA	OEMA			OEMA	OEMA		
Explorer Sport Trac	03-06	Thrust	N/A	N/A		■	87500/87155	87500/87155		
Explorer Sport Trac	01-02	Thrust	N/A	N/A		■	87310/87155 87500/87155	87310/87155 87500/87155	57/89 58/89	
E250, E350, E450 (with ball joints)	80-03	Thrust	N/A	N/A		■	23100*/77880 24130/74500	23100*/77880 24130/74500	47/85 47/85	
F100, F150, Bronco	66-79	Thrust	N/A	N/A		■	23000*/4169	23000*/4169 56800*/85796	47/85 52/85	
F150	04-08	Thrust	N/A	N/A		■	OEMA 86240/83820	OEMA 86240/83820	55/85	
F150	97-03	Thrust	N/A	N/A		■	87385/87155	87385/87155	57/89	
F150 Heritage	04-05	Thrust	N/A	N/A		■	87385/87155	87385/87155	57/89	
F150, Bronco	87-96	Thrust	N/A	N/A		■	23100*/77880 24130/74500 87275	23100*/77880 24130/74500	47/85 47/85 56	
F150, Bronco	80-86	Thrust	N/A	N/A		■	23100*/77880 24130/74500 87225	23100*/77880 24130/74500	47/85 47/85 56	
F250, F350, Super Duty	05-08	Thrust	N/A	N/A		■	23220* 24220	23220* 24220	49,49 49,49	
F450, F550, Super Duty	05-08	Thrust	N/A	N/A		■	23230* 24230	23230* 24230	50,50 50,50	
F250, F350, F450, F550 Super Duty	99-04	Thrust	N/A	N/A		■	23130* 24130/74500	23130* 24130/74500	47,47 47/85	
F250 (L/D)	97-99	Thrust	N/A	N/A		■	87385/87155	87385/87155	57/89	
F250, F350	84-98	Thrust	N/A	N/A		■	23100*/77880 24130/74500 87275	23100*/77880 24130/74500	47/85 47/85 56	
F250, F350	80-83	Thrust	N/A	N/A		■	23100*/77880 24130/74500 87225	23100*/77880 24130/74500	47/85 47/85 56	
F250 (Dana 60) & F350 (Dana 60)	76-98	Thrust	N/A	N/A		■	88940 88950	88940 88950	58 58	
F250	73-79	Thrust	N/A	N/A		■	23000*/4169 Axle Wedges	23000*/4169	47/85 46	
F350 Crew Cab	92-98	Thrust	N/A	N/A		■	23130* 24130/74500 87275	23130* 24130/74500	47,47 47/85 56	
F350	73-79	Thrust	N/A	N/A		■	Axle Wedges	N/A	46	
F350 (King pins)	85-98	Thrust	N/A	N/A		■	Axle Wedges	N/A	46	

LIGHT TRUCK/SUV ALIGNMENT FOOTNOTES


BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

(*) = Series P/N, check page for size • (5) = Shims, see pp 45 • (8) = For vehicles lowered more than 1.5" • (11) = Pinion Angle Adj. Part No. 82370, see pp 53

■ = Thrust Alignment Plate can correct thrust angle and setback, see pp 53 / Check frame angle with Angle Gauge Part No. 64225, pp 97 • ©2008 SPC

4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment

All products available from Specialty Products Company are intended for use by professional installers only.



LIGHT TRUCK/SUV APPLICATIONS

FORD - 4x4 con't

Model/Body Style	Year	Alignment	REAR CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate Angle Gauge	FRONT CASTER/TOOL	CAMBER/TOOL	Page
Ranger	01-08	Thrust	N/A	N/A		■	87500/87155	87500/87155	58/89
Ranger	98-00	Thrust	N/A	N/A		■	87310/87155 87500/87155	87310/87155 87500/87155	57/89 58/89
Ranger	90-97	Thrust	N/A	N/A		■	23180*/77880,87175 24180/74400,74500 87275	23180*/77880,87175 24180/74400,74500	49/85,85 49/85,85 56
Ranger	83-89	Thrust	N/A	N/A		■	23120*/77880 24120/74500 87275	23120*/77880 24120/74500	48/85 48/85 56

FORD - 4x2 WITH BALL JOINTS & STAMPED ARMS

Bronco II	89-90	Thrust	N/A	N/A			23180*/77880,87175 24180/74400,74500 87275	23180*/77880,87175 24180/74400,74500	49/85,85 49/85,85 56
Bronco II, Ranger	83-88	Thrust	N/A	N/A		■	87275	23160* 24160/74400	56,48 48/85
Edge FWD	07-08	4Wheel	OEMA	OEMA			N/A	81280	71
Escape	01-08	4Wheel	67280	OEMA	53		OEMA	OEMA 81250	71
Excursion	00-05	Thrust	N/A	N/A		■	23180*/87155 24180/74400,74500	23180* 24180/74400,74500	49/85 49/85,85
Expedition	07-08	4Wheel	OEMA	OEMA			OEMA	OEMA	
Expedition	03-06	Thrust	86680	OEMA	56		86640	86640	56,56
Expedition	97-02	Thrust	N/A	N/A		■	87385/87155	87385/87155	57/89
Explorer	06-08	4Wheel	OEMA	OEMA			OEMA	OEMA	
Explorer	02-05	4Wheel	86180	OEMA	54		86140	86140	54,54
Explorer Sport Trac	07-08	4Wheel	OEMA	OEMA			OEMA	OEMA	
Explorer Sport Trac	03-06	Thrust	N/A	N/A			87500/87155	87500/87155	58/89
Explorer Sport Trac	01-02	Thrust	N/A	N/A		■	87310/87155 87500/87155	87310/87155 87500/87155	57/89 58/89
Explorer	95-01	Thrust	N/A	N/A		■	87310/87155 87500/87155	87310/87155 87500/87155	57/89 58/89
Explorer	91-94	Thrust	N/A	N/A		■	23180*/77880,87175 24180/74400,74500 87275	23180*/77880,87175 24180/74400,74500	49/85,85 49/85,85 56
E150, E250, E350, E450	92-08	Thrust	N/A	N/A		■	23180*/77880,87175 24180/74400,74500 87280	23180*/77880,87175 24180/74400,74500	49/85,85 49/85,85 57
F150	04-08	Thrust	N/A	N/A		■	OEMA 86240/83820	OEMA 86240/83820	55/85
F150	97-03	Thrust	N/A	N/A		■	87385/87155	87385/87155	57/89
F150 Heritage	04-05	Thrust	N/A	N/A		■	87385/87155	87385/87155	57/89
F150, F250	89-96	Thrust	N/A	N/A		■	23180*/77880,87175 24180/74400,74500 87275 87280	23180*/77880,87175 24180/74400,74500	49/85,85 49/85,85 56 57
F150, F250, F350	87-98	Thrust	N/A	N/A		■	23180*/77880,87175 24180/74400,74500 87225 87280	23180*/77880,87175 24180/74400,74500	49/85,85 49/85,85 56 57
F150	82-86	Thrust	N/A	N/A		■	87225	23160* 24160/74400	57,48 48/85
F250 (L/D)	97-99	Thrust	N/A	N/A		■	87385/87155	87385/87155	57/89
F250 Super Duty	98-04	Thrust	N/A	N/A		■	23180*/77880,87175 24180/74400,74500	23180*/77880,87175 24180/74400,74500	49/85,85 49/85,85
F250, F350	82-86	Thrust	N/A	N/A		■	87225	N/A	56
F450, F550 Super Duty	05-08	Thrust	N/A	N/A			23230* 24230	23230* 24230	50,50 50,50
F-Super Duty 4x2 w/Twin I Beam	99-04	Thrust	N/A	N/A		■	23180* 24180/74400,74500	23180* 24180/74400,74500	49 49/85,85
F-Super Duty 4x2 w/Monobeam Axle	99-08	Thrust	N/A	N/A		■	23130* 24130/74500	23130* 24130/74500	47 47/85
Ranger	01-08	Thrust	N/A	N/A		■	87500/87155	87500/87155	58/89
Ranger	98-00	Thrust	N/A	N/A		■	87310/87155 87500/87155	87310/87155 87500/87155	57/89 58/89
Ranger	89-97	Thrust	N/A	N/A		■	23180*/77880,87175 24180/74400,74500 87275 87280	23180*/77880,87175 24180/74400,74500	49/85,85 49/85,85 56 57

Applications

LIGHT TRUCK/SUV APPLICATIONS

FORD - 4x2 With King Pins & Stamped Arms

Model/Body Style	Year	Alignment	REAR		Page	Thrust Plate Angle Gauge	FRONT		Page
			CAMBER/TOOL	TOE/TOOL			CASTER/TOOL	CAMBER/TOOL	
F100, F150, F250, F350	82-90	Thrust	N/A	N/A		■	87275	N/A	56
F100, F150, F250, F350	65-82	Thrust	N/A	N/A		■	N/A	N/A	
E150, E250, E350	65-90	Thrust	N/A	N/A		■	N/A	N/A	

GEO - 4x2

Tracker	89-97	Thrust	N/A	N/A			N/A	81250	71
---------	-------	--------	-----	-----	--	--	-----	-------	----

GMC - 4x4 & 4x2 - SEE CHEVROLET/GMC (PAGE 28)

HONDA - 4x4 & 4x2

CRV	07-08	4Wheel	67580	OEMA	53		N/A	81280	71
CRV	02-06	4Wheel	67430 69400 (Lower Arm)	OEMA	53 67		N/A	81280	71
CRV	97-01	4Wheel	67030	OEMA	61		N/A	67135/40920 67330(8)/40920	62/92 64/92
Element	03-08	4Wheel	67430 69400 (Lower Arm)	OEMA	53 67		N/A	81280	71
PassPort	94-02	Thrust	N/A	N/A			OEMA(5)	OEMA(5)	
Pilot	03-08	4Wheel	67290	OEMA	64		N/A	81280	71
Ridgeline	06-08	4Wheel	67490	OEMA	53		N/A	81280	71

HUMMER - 4x4

H1	92-06	4Wheel	OEMA	OEMA			OEMA	OEMA	
H2	02-08	Thrust	N/A	N/A			OEMA	OEMA	
H3	06-08	Thrust	N/A	N/A		■	OEMA	OEMA	55/92,93

HYUNDAI - 4x4

Sante Fe	01-07	4Wheel	OEMA	OEMA			N/A	81260	71
Tuscon	05-07	4Wheel	81260	OEMA	71		N/A	81260	71
Veracruz	07-08	4Wheel	OEMA	OEMA			N/A	81260	71

INFINITI - 4x4

FX35/FX45	03-08	4Wheel	OEMA	OEMA			N/A	81260	71
QX4	97-03	Thrust	N/A	N/A			N/A	81260	71
QX56	05-08	Thrust	N/A	N/A			OEMA 87520	OEMA 87520	58,58

INTERNATIONAL - 4x4

Pickup	74-75	Thrust	N/A	N/A			23000*/ 4169	23000*/ 4169 56800*/ 85796	47/85 52/84
Scout	61-71	Thrust	N/A	N/A			Axle Wedges	56800*/ 85796	46,52/84
Scout II	73-80	Thrust	N/A	N/A			23000*/ 4169	23000*/ 4169 56800*/ 85796	47/85 52/84

ISUZU - 4x4

Amigo	90-00	Thrust	N/A	N/A			OEMA(5)	OEMA(5)	
Ascender	03-07	Thrust	N/A	N/A			N/A	OEMA	
Axiom	02-04	Thrust	N/A	N/A			OEMA(5)	OEMA(5)	
i-350/370	06-07	Thrust	N/A	N/A			OEMA	OEMA	
Pickup	81-99	Thrust	N/A	N/A			OEMA(5)	OEMA(5)	
Rodeo/Rodeo Sport	91-03	Thrust	N/A	N/A			OEMA(5)	OEMA(5)	
Trooper	81-02	Thrust	N/A	N/A			OEMA(5)	OEMA(5)	
VehiCross	00-01	Thrust	N/A	N/A			OEMA(5)	OEMA(5)	

ISUZU - 4x2

i-280/290	06-07	Thrust	N/A	N/A			OEMA	OEMA	
Rodeo	91-04	Thrust	N/A	N/A			OEMA(5)	OEMA(5)	
Pickup	81-03	Thrust	N/A	N/A			OEMA(5)	OEMA(5)	
Trooper	81-02	Thrust	N/A	N/A			OEMA(5)	OEMA(5)	

LIGHT TRUCK/SUV ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

(*) = Series P/N, check page for size • (5) = Shims, see pp 45 • (8) = For vehicles lowered more than 1.5" • (11) = Pinion Angle Adj. Part No. 82370, see pp 53

■ = Thrust Alignment Plate can correct thrust angle and setback, see pp 53 / Check frame angle with Angle Gauge Part No. 64225, pp 97 • ©2008 SPC

4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment

All products available from Specialty Products Company are intended for use by professional installers only.

LIGHT TRUCK/SUV APPLICATIONS

JEEP 4x4		REAR				FRONT			
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate Angle Gauge	CASTER/TOOL	CAMBER/TOOL	Page
C-J, Hawk	72-95	Thrust	N/A	N/A		■	80199-81099	56800*/ 85796	45,52/ 84
C-J	45-71	Thrust	N/A	N/A		■	23000*/ 4169	23000*/ 4169 56800*/ 85796	47/ 85 52/ 84
Cherokee	97-01	Thrust	N/A	N/A		■	47240 - 47242 23510 - 23540/ 23580, 72509	23510 - 23540/ 23580, 72509	52,50 50/ 93,92 93,92
Cherokee & Comanche	84-96	Thrust	N/A	N/A		■	47240 - 47242 23510 - 23540/ 23580, 72509	23510 - 23540/ 23580, 72509	52,50 50/ 93,92 93,92
Cherokee	74-83	Thrust	N/A	N/A		■	23000*/ 4169	23000*/ 4169 56800*/ 85796	47/ 85 52/ 84
Commander	06-08	Thrust	N/A	N/A		■	OEMA 23410/ 72509	OEMA 23410/ 72509	50/ 92
Compass	07-08	4Wheel	81250	OEMA	71		N/A	81260	71
Grand Cherokee	05-08	Thrust	N/A	N/A			OEMA 23410/ 72509	OEMA 23410/ 72509	50/ 92
Grand Cherokee	93-04	Thrust	N/A	N/A		■	47240 - 47242 23510 - 23540/ 23580, 72509	23510 - 23540/ 23580, 72509	52,50 50/ 93,92 93,92
Jeepster, Commando	62-73	Thrust	N/A	N/A		■	23000*/ 4169	23000*/ 4169 56800*/ 85796	47/ 85 52/ 84
Liberty	02-08	Thrust	N/A	N/A		■	OEMA	OEMA	
Patriot	07-08	4Wheel	81250	OEMA	71		N/A	81260	71
Pickup, J10/J20	74-84	Thrust	N/A	N/A		■	23000*/ 4169	23000*/ 4169 56800*/ 85796	47/ 85 52/ 84
Scrambler	82-95	Thrust	N/A	N/A		■	23000*/ 4169	23000*/ 4169 56800*/ 85796	47/ 85 52/ 84
Wagoneer	74-82	Thrust	N/A	N/A		■	23000*/ 4169	23000*/ 4169 56800*/ 85796	47/ 85 52/ 84
Wagoneer (Grand)	84-91	Thrust	N/A	N/A		■	23000*/ 4169	23000*/ 4169 56800*/ 85796	47/ 85 52/ 84
Wagoneer (downsize)	84-96	Thrust	N/A	N/A		■	47240 - 47242 23510 - 23540/ 23580, 72509	23510 - 23540/ 23580, 72509	52,50 50/ 93,92 93,92
Wrangler (JK)	07-08	Thrust	N/A 82390 - For Pinion Angle	N/A	54		23510 - 23540/ 23580, 72509 82390	23510 - 23540/ 23580, 72509	52,52 93,92 54
Wrangler (TJ) (11)	97-06	Thrust	N/A 82370 - For Pinion Angle	N/A	54	■	23510 - 23540/ 23580, 72509 82380	23510 - 23540/ 23580, 72509	52,52 93,92 54
Wrangler & Renegade (YJ)	90-96	Thrust	N/A	N/A		■	23510 - 23540/ 23580, 72509 Axle Wedges	23510 - 23540/ 23580, 72509	52,52 93,92 46
Wrangler	89-89	Thrust	N/A	N/A		■	23510 - 23540/ 23580, 72509	23510 - 23540/ 23580, 72509	52,52 93,92

JEEP - 4x2

Cherokee, Comanche & Wagoneer (dwnsz)	84-00	Thrust	N/A	N/A		■	47240 - 47242 23510 - 23540/ 23580, 72509	23510 - 23540/ 23580, 72509	52,50 50/ 93,92 93,92
Commander	06-08	Thrust	N/A	N/A		■	OEMA 23410/ 72509	OEMA 23410/ 72509	50/ 92
Compass	07-08	4Wheel	81250	OEMA	71		N/A	81260	
Grand Cherokee	05-08	Thrust	N/A	N/A			OEMA 23410/ 72509	OEMA 23410/ 72509	50/ 92
Liberty	02-08	Thrust	N/A	N/A		■	OEMA	OEMA	
Patriot	07-08	4Wheel	81250	OEMA	71		N/A	81260	

KIA - 4x4

Sorento	03-08	Thrust	N/A	N/A			OEMA	OEMA	
Sportage	95-03	Thrust	N/A	N/A			OEMA	OEMA	
Sportage	05-08	4Wheel	81260	OEMA	71		N/A	81260	71

LAND ROVER - 4x4

Discovery	99-04	Thrust	N/A	N/A		■	N/A	N/A	
Freelander	02-06	4Wheel	81260	OEMA	71		N/A	81260	71
LR2	05-07	4Wheel	N/A	OEMA			N/A	N/A	
LR3	05-07	4Wheel	N/A	OEMA			OEMA	OEMA	

Applications

LIGHT TRUCK/SUV APPLICATIONS

LAND ROVER - 4x4 con't REAR

Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate	Angle Gauge	FRONT CASTER/TOOL	CAMBER/TOOL	Page
Range Rover	03-07	4Wheel	N/A	OEMA				N/A	81280	71
Range Rover	95-02	Thrust	N/A	N/A				N/A	N/A	

LEXUS - 4x4

GX-470	03-08	Thrust	N/A	N/A				OEMA	OEMA	
LX-450	96-97	Thrust	N/A	N/A				N/A	N/A	
LX-470	98-07	Thrust	N/A	N/A				OEMA	OEMA	
RX-300/330/ 350/400h	99-08	4Wheel	81270	OEMA	71			N/A	81290 82120/ 85125	71 72/ 91

LINCOLN - 4x4 & 4x2

Aviator	03-05	4Wheel	86180	OEMA	54			86140	86140	54,54
Blackwood/ EXT	02-03	Thrust	N/A	N/A				OEMA	OEMA	
Mark LT	06-08	Thrust	N/A	N/A				OEMA 86240/ 83820	OEMA 86240/ 83820	55/ 85
MKX	07-08	4Wheel	OEMA	OEMA				N/A	81280	71
Navigator	07-08	4Wheel	OEMA	OEMA				OEMA 86230/ 83820	OEMA 86230/ 83820	55/ 85
Navigator	03-06	4Wheel	86680	OEMA	56			86640	86640	56,56
Navigator	98-02	Thrust	N/A	N/A				87385/ 87155	87385/ 87155	57/ 85

MAZDA - 4x4

B-Series Pickup	98-08	Thrust	N/A	N/A				87310/ 87155 87500/ 87155	87310/ 87155 87500/ 87155	57/ 89 59/ 89
B-Series Pickup	94-97	Thrust	N/A	N/A				23180*/ 77880,87175 24180/ 74400,74500 87275	23180*/ 77880,87175 24180/ 74400,74500	49/ 85,85 49/ 85,85 56
CX-7	07-08	4Wheel	N/A	OEMA				OEMA	OEMA	
CX-9	07-08	4Wheel	OEMA	OEMA				N/A	N/A	
Navajo	91-94	Thrust	N/A	N/A				23180*/ 77880,87175 24180/ 74400,74500 87275	23180*/ 77880,87175 24180/ 74400,74500	49/ 85,85 49/ 85,85 56
Tribute	01-08	4Wheel	67280	OEMA	53			OEMA	OEMA 81250	71
Pickup	86-93	Thrust	N/A	N/A				OEMA(5)	OEMA(5)	

MAZDA - 4x2

B-Series Pickup	98-08	Thrust	N/A	N/A				87310/ 87155 87500/ 87155	87310/ 87155 87500/ 87155	57/ 89 59/ 89
B-Series Pickup	94-97	Thrust	N/A	N/A				23180*/ 77880,87175 24180/ 74400,74500 87275	23180*/ 77880,87175 24180/ 74400,74500	49/ 85,85 49/ 85,85 56
CX-7	07-08	4Wheel	N/A	OEMA				OEMA	OEMA	
CX-9	07-08	4Wheel	OEMA	OEMA				N/A	N/A	
Navajo	91-94	Thrust	N/A	N/A				23180*/ 77880,87175 24180/ 74500 87275	23180*/ 77880,87175 24180/ 74500	49/ 85,85 49/ 85,85 56
Tribute	01-08	4Wheel	67280	OEMA				OEMA	OEMA 81250	71
Pickup	82-93	Thrust	N/A	N/A				OEMA(5)	OEMA(5)	

MERCEDES - 4x4

G-Class	02-08	4Wheel	N/A	OEMA				OEMA	OEMA	
ML320-ML430	98-08	Thrust	N/A	N/A				N/A	N/A	

MERCURY - 4x4 & 4x2

Mariner	05-08	4Wheel	67280	OEMA	53			OEMA	OEMA 81250	71
Mountaineer	02-08	4Wheel	86180	OEMA	54			86140	86140	54,54
Mountaineer	96-01	Thrust	N/A	N/A				87310/ 87155 87500/ 87155	87310/ 87155 87500/ 87155	57/ 89 59/ 89

LIGHT TRUCK/SUV ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

(*) = Series P/N, check page for size • (5) = Shims, see pp 45 • (8) = For vehicles lowered more than 1.5" • (11) = Pinion Angle Adj. Part No. 82370, see pp 53

■ = Thrust Alignment Plate can correct thrust angle and setback, see pp 53 / Check frame angle with Angle Gauge Part No. 64225, pp 97 • ©2008 SPC

4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment

All products available from Specialty Products Company are intended for use by professional installers only.

APPLICATIONS

LIGHT TRUCK/SUV APPLICATIONS

MITSUBISHI - 4x4			R E A R			F R O N T				
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL	Page	Thrust Plate	Angle Gauge	CASTER/TOOL	CAMBER/TOOL	Page
Endeavor	04-08	4Wheel	OEMA	OEMA				N/A	81280	71
Montero	01-07	4Wheel	OEMA	OEMA				OEMA(5)	OEMA(5)	
Montero	86-00	Thrust	N/A	N/A				OEMA(5)	OEMA(5)	
Montero Sport	01-04	Thrust	N/A	N/A				OEMA	OEMA	
Outlander	03-08	4Wheel	N/A	OEMA				N/A	81260	71
Pickup	86-98	Thrust	N/A	N/A				OEMA(5)	OEMA(5)	
Raider	06-07	Thrust	N/A	N/A			■	OEMA/8286	OEMA/8286	89,89
MITSUBISHI - 4x2										
Endeavor	04-08	4Wheel	OEMA	OEMA				N/A	81280	71
Montero Sport	01-04	Thrust	N/A	N/A				OEMA	OEMA	
Outlander	03-08	4Wheel	N/A	OEMA				N/A	81260	71
Pickup	83-98	Thrust	N/A	N/A				OEMA(5)	OEMA(5)	
Raider	06-08	Thrust	N/A	N/A			■	OEMA/8286, 6140	OEMA/8286, 6140	89,88
NISSAN - 4x4										
Armada	04-08	4Wheel	OEMA	OEMA				OEMA 87520	OEMA 87520	58,58
Frontier	05-08	Thrust	N/A	N/A			■	OEMA 87520	OEMA 87520	58,58
Frontier	98-04	Thrust	N/A	N/A			■	OEMA	OEMA	
Murano	03-08	4Wheel	OEMA	OEMA				N/A	81260	71
Pathfinder	05-08	4Wheel	OEMA	OEMA				OEMA 87520	OEMA 87520	58,58
Pathfinder	96-04	Thrust	N/A	N/A				N/A	81260	71
Pathfinder	87-95	Thrust	N/A	N/A				35080*	35080*	44,44
Pickup	86-97	Thrust	N/A	N/A				35080*	35080*	44,44
Rogue	08-08	4Wheel	N/A	OEMA				N/A	81260	71
Titan	04-08	Thrust	N/A	N/A			■	OEMA 87520	OEMA 87520	58,58
Xterra	05-08	4Wheel	N/A	N/A			■	OEMA 87520	OEMA 87520	58,58
Xterra	00-04	Thrust	N/A	N/A				OEMA	OEMA	
NISSAN - 4x2										
Armada	04-08	4Wheel	OEMA	OEMA				OEMA 87520	OEMA 87520	58,58
Frontier	05-08	Thrust	N/A	N/A			■	OEMA 87520	OEMA 87520	58,58
Frontier	98-04	Thrust	N/A	N/A			■	OEMA	OEMA	
Murano	03-08	4Wheel	OEMA	OEMA				N/A	81260	71
Pathfinder	05-08	Thrust	OEMA	OEMA				OEMA 87520	OEMA 87520	58,58
Pathfinder	97-04	Thrust	N/A	N/A				N/A	81260	71
Pathfinder	87-95	Thrust	N/A	N/A				35080*	35080*	44,44
Pickup	86-97	Thrust	N/A	N/A				35080*	35080*	44,44
Rogue	08-08	4Wheel	N/A	OEMA				N/A	81260	71
Titan	04-08	Thrust	N/A	N/A			■	OEMA 87520	OEMA 87520	58,58
Xterra	05-08	4Wheel	OEMA	OEMA				OEMA 87520	OEMA 87520	58,58
Xterra	00-04	Thrust	N/A	N/A				OEMA(5)	OEMA(5)	
OLDSMOBILE - 4x4										
Bravada	02-04	Thrust	N/A	N/A				N/A	OEMA/83795	89
Bravada	91-01	Thrust	N/A	N/A				OEMA	OEMA	
OLDSMOBILE - 4x2										
Bravada	02-04	Thrust	N/A	N/A				N/A	OEMA	
Bravada	95-01	Thrust	N/A	N/A				OEMA(5)	OEMA(5)	
PONTIAC - 4x4										
Aztec AWD	01-06	4Wheel	OEMA	OEMA				N/A	81260	71
PONTIAC - 4x2										
Aztec FWD	01-06	Thrust	75800(1)	75800(1)	42,42			N/A	81260	71

LIGHT TRUCK/SUV APPLICATIONS

PORSCHE - 4x4			REAR			Page	Thrust Plate	Angle Gauge	FRONT			Page
Model/Body Style	Year	Alignment	CAMBER/TOOL	TOE/TOOL					CASTER/TOOL	CAMBER/TOOL		
Cayenne	04-08	4Wheel	OEMA	OEMA					OEMA	OEMA		
SAAB - 4x4												
9-7X	05-08	Thrust	N/A	N/A					N/A	OEMA/83795		89
SATURN - 4x4 & 4x2												
Outlook AWD/FWD	07-08	4Wheel	OEMA	OEMA					N/A	81280		71
SUZUKI - 4x4 & 4x2												
Samurai	86-96	Thrust	N/A	N/A					88905 88906	88905 88906		58,58 58,58
Side Kick	89-98	Thrust	N/A	N/A					N/A	81250		71
X-90	97-01	Thrust	N/A	N/A					N/A	81250		71
Vitara, Grand Vitara	99-08	Thrust	N/A	N/A					N/A	81250		71
XL-7	01-08	Thrust	N/A	N/A					N/A	81250		71
TOYOTA - 4x4												
4-Runner	03-08	Thrust	N/A	N/A			■		OEMA 25480	OEMA 25480		51,51
4-Runner	86-02	Thrust	N/A	N/A			■		OEMA	OEMA		
FJ Cruiser	07-08	Thrust	N/A	N/A					OEMA 25480	OEMA 25480		51,51
Highlander	08-08	4Wheel	81290	OEMA	71				N/A	81290		71
Highlander	01-07	4Wheel	81270	OEMA	71				N/A	81290		71
Landcruiser SW	91-07	Thrust	N/A	N/A			■		OEMA	OEMA		
Landcruiser, Landcruiser SW	65-90	Thrust	N/A	N/A			■		88901 - 88904	88901 - 88904		58,58
Pickup	86-04	Thrust	N/A	N/A			■		OEMA	OEMA		
Pickup	79-85	Thrust	N/A	N/A			■		88901 - 88904	88901 - 88904		58,58
RAV4 - AWD	06-08	4Wheel	N/A	OEMA					N/A	81290		71
RAV4 - AWD	96-05	4Wheel	OEMA	OEMA					N/A	81270		71
Sequoia	01-08	Thrust	N/A	N/A					OEMA	OEMA		
T100	93-98	Thrust	N/A	N/A			■		OEMA	OEMA		
Tacoma	05-08	Thrust	N/A	N/A			■		OEMA 25470	OEMA 25470		51,51
Tacoma	86-04	Thrust	N/A	N/A			■		OEMA	OEMA		
Tundra	99-08	Thrust	N/A	N/A			■		OEMA	OEMA		
TOYOTA - 4x2												
4-Runner	03-08	Thrust	N/A	N/A			■		OEMA 25480	OEMA 25480		51,51
4-Runner	86-02	Thrust	N/A	N/A			■		OEMA	OEMA		
FJ Cruiser	07-08	Thrust	N/A	N/A					OEMA	OEMA		
Pickup, Tacoma	74-08	Thrust	N/A	N/A			■		OEMA(5)	OEMA(5)		
RAV4 - FWD	06-08	4Wheel	N/A	OEMA					N/A	81270		71
RAV4 - FWD	96-05	4Wheel	OEMA	OEMA					N/A	81270 82120/85125		71 72/91
Sequoia	01-08	Thrust	N/A	N/A					OEMA	OEMA		
T100	93-98	Thrust	N/A	N/A			■		OEMA(5)	OEMA(5)		
Tacoma PreRunner	05-08	Thrust	N/A	N/A			■		OEMA 25470	OEMA 25470		51,51
Tundra	99-08	Thrust	N/A	N/A			■		OEMA	OEMA		
VOLKSWAGEN - 4x4												
Touareg/Touareg 2	04-08	4Wheel	OEMA	OEMA					OEMA	OEMA		

LIGHT TRUCK/SUV ALIGNMENT FOOTNOTES

BOLD PART NUMBER INDICATES PREFERRED CORRECTION METHOD

(*) = Series P/N, check page for size • (5) = Shims, see pp 45 • (8) = For vehicles lowered more than 1.5" • (11) = Pinion Angle Adj. Part No. 82370, see pp 53

■ = Thrust Alignment Plate can correct thrust angle and setback, see pp 53 / Check frame angle with Angle Gauge Part No. 64225, pp 97 • ©2008 SPC

4Wheel = 4 Wheel Alignment • Thrust = 4 Wheel Thrust Alignment • N/A = No Available Adjuster • OEMA = Original Equipment Manufacturer Adjustment

All products available from Specialty Products Company are intended for use by professional installers only.

TRUCK DESIGNATIONS

CHEVROLET

Model	Description	Model	Description
C10 (thru 87)	1/2 Ton 2WD PU, Blazer, Suburban	K3500 (88 & up)	1 Ton PU
C20 (thru 87)	3/4 Ton 2WD PU, Suburban	V10 (88 & up)	1/2 Ton 4WD Blazer, Suburban, PU w/ monobeam
C30 (thru 87)	1 Ton 2WD PU, Suburban	V20 (88 & up)	3/4 Ton 4WD Suburban, PU w/ monobeam
C1500 (88 & up)	1/2 Ton 2WD PU	V30 (88 & up)	1 Ton w/ monobeam axle
C2500 (88 & up)	3/4 Ton 2WD PU	G10	1/2 Ton Van
C3500 (88 & up)	1 Ton 2WD PU	G20	3/4 Ton Van
R10 (88 & up)	1/2 Ton 2WD Blazer, Suburban, PU w/ shims	G30	1 Ton Van
R20 (88 & up)	3/4 Ton 2WD Suburban, PU w/ shims	M	Astro Van
R30 (88 & up)	1 Ton 2WD Suburban, PU w/ shims	P20	3/4 Ton Parcel Delivery Van
K10 (thru 87)	1/2 Ton 4WD Blazer, Suburban, PU	P30	1 Ton Parcel Delivery Van
K20 (thru 87)	3/4 Ton 4WD Suburban, PU	S10	Downsize 2WD Blazer, PU
K30 (thru 87)	1 Ton 4WD Suburban, PU	T10	Downsize 4WD Blazer, PU
K1500 (88 & up)	1/2 Ton 4WD PU	U	Lumina Van
K2500 (88 & up)	3/4 Ton 4WD PU		

CHRYSLER CORPORATION

Model	Description	Model	Description
AD150	2WD Ramcharger, Trail Duster	D100, D150 (thru 93)	1/2 Ton 2WD PU
AW150	4WD Ramcharger, Trail Duster	D200, D250 (thru 93)	3/4 Ton 2WD PU
B100, B150	1/2 Ton Van	D300, D350 (thru 93)	1 Ton 2WD PU
B200, B250	3/4 Ton Van	K	Caravan, Voyager, Town & Country, Mini Ram Vans
B300, B350	1 Ton Van	W100, W150, W1500	1/2 Ton 4WD PU
BR1500 (94 & up)	1/2 Ton PU	W200, W250, W2500	3/4 Ton 4WD PU
BR2500 (94 & up)	3/4 Ton PU	W300, W350, W3500	1 Ton 4WD PU
BR3500 (94 & up)	1 Ton PU		

FORD

Model	Description	Model	Description
Aerostar	Trim-size van	F150	1/2 Ton 2WD & 4WD PU
Bronco	Full-size 4WD Wagon	F250	3/4 Ton 2WD & 4 WD PU
Bronco II (thru 90)	Trim-size 4WD or 2WD Wagon	F350	1 Ton 2WD & 4WD PU
Explorer (91 & up)	Trim-size 4WD or 2WD Wagon	Ranger	Downsize 2WD & 4WD PU
E150	1/2 Ton Van	Expedition (97 & up)	Full-size 2WD & 4WD Wagon
E250	3/4 Ton Van	Navigator (98 & up)	Trim-size 2WD & 4WD Wagon
E350	1 Ton Van		

GENERAL MOTORS CORPORATION

Model	Description	Model	Description
C1500 (thru 87)	1/2 Ton 2WD PU, Jimmy, Suburban	K3500 (88 & up)	1 Ton PUV-1500 (88 & up)
C2500 (thru 87)	3/4 Ton 2WD PU, Suburban	V1500 (88 & up)	1/2 Ton 4WD Jimmy, Suburban, PU w/ monobeam
C3500 (thru 87)	1 Ton 2WD PU, Suburban	V2500 (88 & up)	3/4 Ton 4WD Suburban, PU w/ monobeam
C1500 (88 & up)	1/2 Ton 2WD PU	V3500 (88 & up)	1 Ton 4WD Suburban, PU w/ monobeam axle
C2500 (88 & up)	3/4 Ton 2WD PU	G1500	1/2 Ton Van
C3500 (88 & up)	1 Ton 2WD PU	G2500	3/4 Ton Van
R1500 (88 & up)	1/2 Ton 2WD Jimmy, Sub., PU w/ shims	G3500	1 Ton Van
R2500 (88 & up)	3/4 Ton 2WD Suburban, PU w/ shims	M	Safari Van
R3500 (88 & up)	1 Ton 2WD Suburban, PU w/ shims	P2500	3/4 Ton Parcel Delivery Van
K10 (thru 87)	1/2 Ton 4WD Jimmy, Suburban, PU	P3500	1 Ton Parcel Delivery Van
K20 (thru 87)	3/4 Ton 4WD Suburban, PU	S15	Downsize 2WD Jimmy, PU, Bravada
K30 (thru 87)	1 Ton 4WD Suburban, PU	T15	Downsize 4WD Jimmy, PU, Bravada
K1500 (88 & up)	1/2 Ton 4WD PU, Yukon	U	Pontiac Transport, Oldsmobile Silhouette Vans
K2500 (88 & up)	3/4 Ton 4WD PU		

JEEP

Model	Description	Model	Description
Comanche	1/2 Ton 2WD or 4WD trim-size PU	Grand Wagoneer	1/2 Ton 4WD full-size Wagon
Cherokee, Wagoneer (84 & up)	1/2 Ton 2WD or 4WD trim-size Wagon	J-10	1/2 Ton 2WD or 4WD PU
CJ5, CJ7	4WD Utility Vehicle	J-20	3/4 Ton 2WD or 4WD PU
Grand Cherokee (93 & up)	1/2 Ton 4WD Trim-size Wagon	Scrambler	Light duty Utility Vehicle
		TJ (97 & up)	Wrangler
		Wrangler	Light duty Utility Vehicle

ESTIMATED INSTALLATION TIMES - CARS/TRUCKS

(Allow for frozen bolts, nuts, sleeves, etc.)

Passenger Car			Passenger Car			Passenger Car			Trucks/SUVs			Trucks/SUVs		
Part No	Time/ Per Side	Sides Covered Per Kit	Part No	Time/ Per Side	Sides Covered Per Kit	Part No	Time/ Per Side	Sides Covered Per Kit	Part No	Time/ Per Side	Sides Covered Per Kit	Part No	Time/ Per Side	Sides Covered Per Kit
23600	0.5	1	67515	0.6	1	81250	0.4	2	23540	1.0	1	82370	0.3	2
62010	0.7	1	67525	0.6	1	81260	0.4	2	23710	1.0	1	82380	0.4	2
64010	0.6	1	67590	0.5	1	81270	0.4	2	23720	1.0	1	82390	0.4	2
64015	0.6	1	67610	0.6	2	81280	0.4	2	23730	1.0	1	83790	0.5	1
64020	0.6	1	67620	1.2	2	81290	0.4	2	23755	0.3	1	84199	0.5	6
64025	0.6	1	67630	1.2	2	81310	0.5	2	23765	0.3	1	84299	0.5	6
64030	0.6	1	67640	0.8	1	81320	1.2	1	23800	1.0	1	84399	0.5	6
64035	0.6	1	67650	1.2	2	81340	1.2	1	23810	1.0	1	84499	0.5	6
64040	0.6	1	67710	1.0	2	82110	0.4	2	23820	1.0	1	84599	0.5	6
64045	0.6	1	67720	0.3	2	82120	0.6	2	23830	1.0	1	84699	0.5	6
66010	0.6	1	67740	0.3	1	83115	0.8	2	24120	0.5	1	84799	0.5	6
66020	0.6	1	67765	1.0	1	83160	0.4	2	24130	0.5	1	84899	0.5	6
66030	0.6	1	67775	1.0	1	83170	0.4	2	24160	0.5	1	86140	0.4	2
66035	0.6	1	67776	1.0	1	83500	0.7	1	24180	0.5	1	86180	0.2	2
66080	0.6	1	69100	0.3	2	84300	0.8	1	24220	0.5	1	86230	0.4	1
66085	0.6	1	69200	0.3	2	84600	0.8	1	24230	0.5	1	86240	0.4	1
67010	0.8	1	69250	0.6	2	84650	0.8	1	25470	1.6	2	86255	0.5	1
67020	0.8	1	69300	0.3	2	84690	0.5	as req.	25472	0.8	1	86320	0.3	1
67025	0.5	1	69400	0.3	2	84695	0.5	as req.	25473	0.8	1	86330	0.8	1
67030	0.5	1	69450	0.6	2	84800	0.8	1	25480	1.6	2	86350	0.8	1
67065	0.5	1	69460	0.6	2	84945	0.7	1	25482	0.8	1	86370	0.3	1
67070	0.5	1	71100	0.5	1	84955	0.7	1	25482	0.8	1	86375	0.3	1
67080	0.5	1	71200	0.5	1	85600	0.5	2	47240	0.3	6	86640	0.4	1
67090	0.5	1	71300	0.5	1	85630	0.4	2	47241	0.3	6	86680	0.3	1
67110	1.3	1	71400	0.5	1	85690	0.2	as req.	47242	0.3	6	87225	0.7	2
67115	0.6	1	71500	0.5	1	85695	0.2	as req.	56800	0.8	1	87270	0.4	2
67125	0.6	1	71720	0.5	1	87330	0.5	2	56801	0.8	1	87275	0.7	2
67135	0.6	1	71730	0.5	1	87340	0.5	2	56802	0.8	1	87280	0.7	2
67145	0.6	1	72040	1.0	2	87350	0.5	2	56803	0.8	1	87310	0.3	2
67155	0.6	1	72050	0.6	1	87460	0.8	1	56804	0.8	1	87385	0.4	2
67165	0.6	1	72055	0.6	1	87470	0.8	1	56805	0.8	1	87400	0.4	2
67170	0.6	1	72060	1.0	2	87540	0.4	2	56806	0.8	1	87500	0.5	2
67180	0.6	1	72065	1.2	2	87545	0.4	2	56807	0.8	1	87520	0.4	1
67190	0.6	1	72070	1.2	2	87580	0.7	1	56808	0.8	1	88901	1.4	1
67210	0.4	1	72080	1.2	2	87590	0.7	1	56809	0.8	1	88902	1.4	1
67220	0.6	1	72090	1.2	2	89635	1.0	2	56810	0.8	1	88903	1.4	1
67230	0.5	1	72100	0.4	1	89675	1.2	1	56811	0.8	1	88904	1.4	1
67265	0.5	1	72110	1.3	2	89685	1.2	2	63020	0.5	1	88905	1.4	1
67270	0.8	1	72125	1.8	2	Trucks/SUVs			63030	0.5	1	88906	1.4	1
67290	0.5	1	72180	1.2	2	23000	0.5	1	63040	0.5	1	88940	0.4	1
67320	0.6	1	72200	0.4	1	23100	0.5	1	67280	0.5	1	88950	1.4	1
67330	0.6	1	72300	0.4	1	23120	0.5	1	67430	0.5	1	89199	0.5	6
67340	0.6	1	72400	0.4	1	23130	0.5	1	67490	0.5	1	89299	0.5	6
67350	0.6	1	72660	0.6	1	23160	0.5	1	80199	0.5	6	89399	0.5	6
67360	0.6	1	72665	0.6	1	23180	0.5	1	80299	0.5	6	89499	0.5	6
67370	0.6	1	72800	0.4	1	23220	0.5	1	80399	0.5	6	89599	0.5	6
67395	0.5	1	73400	0.3	1	23230	0.5	1	80499	0.5	6	89699	0.5	6
67420	0.5	1	73600	0.5	1	23268	0.5	1	80599	0.5	6	89799	0.5	6
67440	0.5	1	73620	0.5	1	23269	0.5	1	80699	0.5	6	89899	0.5	6
67465	0.5	1	75200	0.5	1	23410	0.6	1	80799	0.5	6	All times are calculated using the recommended special tools.		
67470	0.5	1	75400	0.5	1	23510	1.0	1	80899	0.5	6			
67485	0.5	1	75800	0.5	1	23520	1.0	1	80999	0.5	6			
67510	0.6	1	81240	0.4	2	23530	1.0	1	81099	0.5	6			

MODEL YEAR (V.I.N. Tag Location)

*NOTE: Beginning in 1980 or 1981, all domestic vehicle manufacturers and most import manufacturers refer to the year of vehicle manufacture in the V.I.N. Tag as listed below:

*Letter shown in 10th digit of V.I.N. tag.

V.I.N. Designation	V.I.N. Designation
1980 A	1995 S
1981 B	1996 T
1982 C	1997 V
1983 D	1998 W
1984 E	1999 X
1985 F	2000 Y
1986 G	2001 1
1987 H	2002 2
1988 J	2003 3
1989 K	2004 4
1990 L	2005 5
1991 M	2006 6
1992 N	2007 7
1993 P	2008 8
1994 R	2009 9

CONVERSION TABLE - Toe Readings

Inches	Degrees	Metric MM	Minutes of Degrees
.03 (1/32)	.06° (1/16°)	0.8	3.75'
.06 (1/16)	.13° (1/8°)	1.6	7.50'
.09 (3/32)	.19° (3/16°)	2.4	11.25'
.12 (1/8)	.25° (1/4°)	3.2	15.00'
.16 (5/32)	.31° (5/16°)	4.0	18.75'
.19 (3/16)	.38° (3/8°)	4.8	22.50'
.22 (7/32)	.44° (7/16°)	5.6	26.25'
.25 (1/4)	.50° (1/2°)	6.4	30.00'
.28 (9/32)	.56° (9/16°)	7.1	33.75'
.31 (5/16)	.63° (5/8°)	7.9	37.50'
.34 (11/32)	.69° (11/16°)	8.7	41.25'
.37 (3/8)	.75° (3/4°)	9.5	45.00'
.41 (13/32)	.81° (13/16°)	10.3	48.75'
.44 (7/16)	.88° (5/8°)	11.1	52.50'
.47 (15/32)	.94° (15/16°)	11.9	56.25'
.50 (1/2)	1.00° (1°)	12.7	60.00'
.53 (17/32)	1.06° (1-1/16°)	13.5	1° 3.75'
.56 (9/16)	1.13° (1-1/8°)	14.3	1° 7.50'
.59 (19/32)	1.19° (1-3/16°)	15.1	1° 11.25'
.62 (5/8)	1.25° (1-1/4°)	15.9	1° 15.00'
.66 (21/32)	1.31° (1-5/16°)	16.7	1° 18.75'
.69 (11/16)	1.38° (1-3/8°)	17.5	1° 22.50'
.72 (23/32)	1.44° (1-7/16°)	18.3	1° 26.50'
.75 (3/4)	1.50° (1-1/2°)	19.0	1° 30.00'